

Bapuji Educational association® BAPUJI INSTITUTE OF ENGINEERING AND TECHNOLOGY DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING (DATA SCIENCE)

LABORATORY MANUAL

DATA VISUALIZATION LABORATORY (BAIL504) V SEMESTER

Vision

To provide a quality and holistic education in data science, data analytics, data visualization, industry collaborations and research for empowering individuals to derive knowledge, thereby transform the potentials in data for the betterment of society.

Mission

<i>M1</i>	Educate and prepare students with a strong foundation in data science, equipping
	them with the skills, knowledge, and ethical principles needed to excel in data-
	driven fields.
<i>M2</i>	Foster collaborations with industries to adopt modern data science and
	visualization tools which solves the real-world problems that have societal
	benefits.
M	Cultivate a culture of life-long learning with intellectual curiosity in data science
3	and nurturing individuals who are passionate about data-driven decision-making

DATA VISUALIZATION LABORATORY

Sub Code: BCS358C

IA Marks: 50

Total	l Hours: 2	25		Hours/Week: 02	2
DATA	VISUALIZ	ATION LAB		Semester	V
Course	e Code		BAIL504	CIE Marks	50
Teachi	ing Hours/	/Week (L:T:P: S)	0:0:2:0	SEE Marks	50
Credits	S		01	Exam Hours	100
Exami	nation typ	e (SEE)	Practical		
Cours	e objectiv	es:			
• U	Inderstand	l the Importance o	of data Visualization for bu	isiness intelligence and deci	sion
n	naking.				
• L	earn differ	ent approaches to	o understand the important	nce of visual perception.	
• L	earn differ	ent data visualiza	ition techniques and tools	alaga probloma	
	Evnorim	euge of effective t	iata visuais to solve work		
1	GettingS	tarted - Tableau	Workspace, Tableau term	inologies, basic functionaliti	es.
2	Connecti	ing to Data Sourc	e – Connecting to Databas	se, Different types of Tableau	u Joins.
3	Creating	a View - formatti	ng charts, adding filters, c	reating calculated fields and	defining
	paramete	ers.			
4	Dashboa	rd Design and St	orytelling - Components	of Dashboard, Understandin	ng how to
	place				
_	workshee	ets in Containers,	Action filters and its types		
5	Introduc	ing Power BI – Co	omponents and the flow of	f work. Power BI Desktop In	terface-
6	The Repo	ort has five main a	areas.		
6	Querying	g Data from CSV ·	• Query Editor, Connecting	g the data from the Excel Sou	irce, Clear
	Transform	m the data.			
7	Creating	Reports & Visua	lizations - Different types	s of charts, Formatting chart	s with
0	Dechhee	ors.	way DI Formatting dealah	aarda	
8	Dashboa	rus - Filters in Po	wer BI, Formatting dasho	oards.	
9	1.	Analysis of reve	nue in sales dataset:		
	2.	Create a chorop	leth map (fill the map) to s	spot the special trends to she	ow the
	2	state which has	the highest revenue.		
	3.	Create a line cha	irt to snow the revenue ba	ised on the month of the yea	r.
	4.	the revenue	ize 10 ioi the age measure	to create a new dimension	to show
	5	Create a donut c	hart view to show the ner	centage of revenue per regio	n hv
	J.	creating zero ac	cess in the calculated field	d.	,,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,
	6.	Create a butterf	y chart by reversing the b	ar chart to compare female (& male
	5.	revenue based o	on product category.		
	7.	Create a calculat	ed field to show the avera	ge revenue per state & displ	ay
		profitable & nor	n-profitable state.	- •	-
	8.	Build a dashboa	rd.		

10	Analy	sis of GDP dataset:
	1. 2. 3. 4.	Visualize the countries data given in the dataset with respect to latitude and longitude along with country name using symbol maps. Create a bar graph to compare GDP of Belgium between 2006 – 2026. Using pie chart, visualize the GDP of India, Nepal, Romania, South Asia, Singapore by the year 2010. Visualize the countries Bhutan & Costa Rica competing in terms of GDP.
	5.	Create a scatter plot or circle views of GDP of Mexico, Algeria, Fiji, Estonia from 2004 to 2006. Build an interactive dashboard
11	Analysi	s of HR Dataset:
11	1.	Create KPI to show employee count, attrition count, attrition rate, attrition count, active employees, and average age.
	2. 3.	Create a Lollipop Chart to show the attrition rate based on gender category. Create a pie chart to show the attrition percentage based on Department Category- Drag department into colours and change automatic to pie. Entire view, Drag attrition count to angle. Label attrition count, change to percent, add total also. edit label.
	4.	Create a bar chart to display the number of employees by Age group,
	5.	Create a highlight table to show the Job Satisfaction Rating for each job role based on employee count.
	6.	Create a horizontal bar chart to show the attrition count for each Education field Education field wise attrition – drag education field to rows, sum attrition count to col, Create multiple doput chart to show the Attrition Bate by Gender for different
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Age group.
12	Analysis	s of Amazon Prime Dataset:
	1.	Create a Donut chart to show the percentage of movie and tv shows
	2.	Create a area chart to shows by release year and type
	3.	Create a horizontal bar chart to show Top 10 genre
	4.	Create a map to display total shows by country
	5.	Create a text sheet to show the description of any movie/movies.
	6.	Build an interactive Dashboard.
		Course outcomes (Course Skill Set):
		At the end of the course the student will be able to:
		Power BI
		Develop the solution for the given real world problem.
		Analyze the results and produce substantial written documentation.

Introduction to Various Data Visualization tools

Data visualization is the practice of translating information into a visual context, such as a map or graph, tomake data easier for the human brain to understand and pull insights from. It is the representation of information and data through use of common graphics, such as charts, plots, infographics, and animations. Data visualization is a powerful way for people, especially data professionals, to display data so that it can be interpreted easily.

Data Visualization enables decision-makers of any enterprise or industry to look into analytical reports and understand concepts that might otherwise be difficult to grasp.

Benefits of Data Visualization:

- 1. It is easy to understand the information with graphics
- 2. It made data to be represented in attractive way
- 3. Shows complex relationships
- 4. Helps to process large datasets
- 5. Useful for identifying trends
- 6. Minimizes ambiguity

Data visualization tools provide the ability to see and understand data trends, outliers, and patterns in an easy, intuitive way. There are various data visualization tools available. One must choose the tool based on various factors such as its ease of use, types of graphical representations the tool can produce, size of the dataset the tool can handle etc. some of Data Visualization tools are Tableau, Power BI, Google Charts, Jupyter, Grafana etc.

The following are some common types of data visualizations:

1. **Table:** A table is data displayed in rows and columns, which can be easily created in a Word document orExcel spreadsheet.

2. **Chart or graph:** Information is presented in tabular form with data displayed along an x and y axis, usually with bars, points, or lines, to represent data in comparison.

3. **Geospatial visualization:** Data is depicted in map form with shapes and colours that illustrate the relationship between specific locations, such as a choropleth or heat map.

4. **Dashboard:** Data and visualizations are displayed, usually for business purposes, to help analystsunderstand and present data.

Introduction to Tableau and Installation

Tableau is a data visualization tool that provides pictorial and graphical representations of data. It is used for data analytics and business intelligence. Tableau provides limitless data exploration without interrupting flow of analysis.

With an intuitive drag and drop interface, user can uncover hidden insights in data and make smarter decisions faster.

Tableau is a Business Intelligence tool for visually analyzing the data. Users can create and distribute an interactive and shareable dashboard, which depict the trends, variations, and density of the data in the form of graphs and charts. Tableau can connect to files, relational and Big Data sources to acquire and process data. The software allows data blending and real-time collaboration, which makes it very unique. It is used by businesses, academic researchers, and many government organizations for visual data analysis. It is also positioned as a leader Business Intelligence and Analytics Platform in Gartner Magic Quadrant.

As a leading data visualization tool, Tableau has many desirable and unique features. Its powerful data discovery and exploration application allows you to answer important questions in seconds. You can use Tableau's drag and drop interface to visualize any data, explore different views, and even combine multiple databases easily. It does not require any complex scripting. Anyone who understands the business problems can address it with a visualization of the relevant data. After analysis, sharing with others is as easy as publishing to Tableau Server.

Tableau Features

• **Speed of Analysis** – As it does not require high level of programming expertise, any user with access to data can start using it to derive value from the data.

• **Self-Reliant** – Tableau does not need a complex software setup. The desktop version which is used by most users is easily installed and contains all the features needed to start and complete data analysis.

• **Visual Discovery** – The user explores and analyzes the data by using visual tools like colors, trend lines, charts, and graphs. There is very little script to be written as nearly everything is done by drag and drop.

• **Blend Diverse Data Sets** – Tableau allows you to blend different relational, semi structured and raw data sources in real time, without expensive up-front integration costs. The users don't need to knowthe details of how data is stored.

• **Architecture Agnostic** – Tableau works in all kinds of devices where data flows. Hence, the user need not worry about specific hardware or software requirements to use Tableau.

• **Real-Time Collaboration** – Tableau can filter, sort, and discuss data on the fly and embed a live dashboard in portals like SharePoint site or Salesforce. You can save your view of data and allow colleagues to subscribe to your interactive dashboards so they see the very latest data just by refreshingtheir web browser.

• **Centralized Data** – Tableau server provides a centralized location to manage all of the organization's published data sources. You can delete, change permissions, add tags, and manage schedules in one convenient location. It's easy to schedule extract refreshes and manage them in the data server. Administrators can centrally

define a schedule for extracts on the server for both incremental and fullrefreshes.

Working on Tableau ---Some important screen shots and steps of sheets (Not Related to Programs)

🕸 Tableau Public - Book1 File Data Help		- D X
*		
Connect	Open from Tableau Public	Discover
To a File Microsoft Excel Text file JSON file Microsoft Access PDF file Spatial file Statistical file		 How-to Videos Explore how-to videos Viz of the Day Explore viz of the day Blog - Read latest post Sample Data Sets Current Status
O a Server OData More > Save locally: Work with big data. Connect to more data sources.		

Connecting to Data and preparing data for visualization in Tableau

Tableau supports connecting to a wide variety of data, stored in a variety of places. For example, data mightbe stored on computer in a spread sheet or a text file, or in a big data, relational, or cube (multidimensional) database on a server in enterprise or the data can be from a public domain available on the web.

Data can be imported in Tableau Public from Connect panel on left side. For example, an Excel sample dataset was loaded into Tableau as follows:

Connect	Open @ open							×	
	+ + ·	This PC + Downloads			~ 0	Search Doomle	sade	P	
To a File	Organize - New fo	sicier					(III - IIW	0	
Microsoft Escel	VAMSHI	n Neme	Date modified	Type	Size-			-	dis.
Texa: file	ConeDrive	4289746-671d60a704b57b6d591b82a7b2d	14-12-2012 16:02	Tile fulder					
ISON the	This Br	4299746-671-660a704b57b66591b62a7b28	17+06-2023 15(22	Title Fubility					-
Manager Access	3D Objects	lagin	24+03+2023.10(59	Folg furisher					111111
DOM NO.	Desktan	Microcott VX Code	19-01-3323 19:31	Filler Fundame					
P15F file	W) Decuments	todosana Bituweek	25-03-2023 12:20	File folder					
Spatial file	B. Desceloada	week-d-react-calculator-master (2)	28-03-2023 11:05	tille tolder					
Statistical file	h Many	week6	25-03-2523 10:14	Filefulder				2	
	- Moule	week-8	29-03-2023 10:14	File tolder					
TO IT SHOULD	in Protocol		23-03-2023 10:20	File folder					
OData	Videos	week-10	25+03+2023 10:20	File fulder					
	New Wire to 2005 (CC)	week-11	39-03-2023 10:50	File finisher					
Maria	- New volume (b)	4A COMPLETE DAT-IT also	06+07+2023 12/12	Microsoft for et W.	32				
	- New Volume (E)	1020 1020 1024 U.C. alex	-08-07-0023 UUM	All consider Exercitive	20	00			
	Network	* B) come at	13-05-1023 10:51	http://www.dk.Encort.W2		616			- A. (.
	Fu	e name: Seconde - concentrate				Excel Workbo	oka (*.xis *.xisx *.	d - 1 1	est post
		Contraction of the second s				Deep	Cancel		ots
						- open	- carice	_	

After clicking on open, screen is as follows:

🕸 Tableau Public - Book1		-		×
File Data Window Help				
$\Rightarrow \leftarrow \rightarrow = = \bigcirc$	ප· samplesuperstore			
Connections Add				
samplesuperstore				
Sheets P				
I Orders				
III People				
III Returns				
묻 New Union				
Step New Table Extension				
	Drag tables here			
C Data Source Sheet 1 .	<u></u>			
-+ -+		Id. d. b.	NI 200	1.1

The data store page appears as above. The left pan shows that above dataset consists of 3 worksheets. If we drag orders table, screen appears as follows: Tableau automatically identifies the data type of each column

Tableau Public - Book1											- [) X
File Data Window Help												
	0· C)rders (sam	nplesupe	rstore)							F	ilters Add
Connections Add												
samplesuperstore												
MICTOSOTT EXCER	Orders	3										
Sheets p							FF					
Orders												
III Returns												
-						Nee	ed more data?					
꾿 New Union					Drag table	es her	e to relate them. L	earn more				
Co. New Table Extension												
1996 York Land Targetan												
COD-LINE LINE LINE LINE LINE	Orders		▼ 21 fields 9994	4 rows	#		Abc	8	8	Abc	00 → rows	Abc
COD-LINE LINE LINE LINE LINE	Orders		• 21 fields 9994	4 rows	# Orders		Abc Orders	世 Orders	E. Orders	Abc Orders	00 → rows Abc Orders	Abc Orders
COD-LINE LINE LINE LINE LINE	Orders Name Orders		▼ 21 fields 9994	4 rows	# Orders Row ID		Abc Drders Order ID	巴 Örders Order Date	巴 Orders Ship Date	Abd Orders Ship Mode	00 → rows Abc Orders Customer ID	Abo Orders Custon
	Orders Name Orders		▼ 21 fields 9994	\$ rows	# Orders Row ID	1	Abc Orders Order ID CA-2016-152156	Dirders Order Date 08-11-2016	巴 Orders Ship Date 11-11-2016	Abc Orders Ship Mode Second Class	Abc Orders Customer ID CG-12520	Abc Orders Custon Claire
	Orders Name Orders Fields		▼ 21 fields 9994	\$ rows	# Orders Row ID	1	Abe Dreies Order ID CA-2016-152156 CA-2016-152156	©rderss Order Date 08-11-2016 08-11-2016	Crears Ship Date 11-11-2016 11-11-2016	Abc Orders Ship Mode Second Class Second Class	00 → rows Abc Orders Customer ID CG-12520 CG-12520	Abc Orders Custon Claire Claire
	Orders Name Orders Fields Type	Field Name	21 fields 9994 Physical Table	÷ rows	# Orders Row ID	1 2 3	Abe Dofers Order ID CA-2016-152156 CA-2016-152156 CA-2016-138688	Ördess Order Date 08-11-2016 08-11-2016 12-06-2016	Creers Ship Date 11-11-2016 11-11-2016 16-06-2016	Abd Onders Ship Mode Second Class Second Class Second Class Second Class	00 → rows Abc Orders Customer ID CG-12520 CG-12520 DV-13045	Abc Orders Custon Claire Darrin
	Orders Name Orders Fields Type #	Field Name Row ID	21 fields 9994 Physical Table Orders	4 rows Remote Fie Row ID	# Orders Row ID	1 2 3 4	Abe Doters Order ID CA-2016-152156 CA-2016-152156 CA-2016-138688 US-2015-108966	Criderss Order Date 08-11-2016 08-11-2016 12-06-2016 11-10-2015	Creers Ship Date 11-11-2016 11-11-2016 16-06-2016 18-10-2015	Abd Onders Ship Mode Second Class Second Class Second Class Second Class Second Class	00 → rows Abc Orders Customer ID CG-12520 CG-12520 DV-13045 SO-20335	Abc Ordera Custon Claire Darrin Sean (
	Orders Name Orders Fields Type # Abc	Field Name Row ID Order ID	21 fields 9994 21 fields 9994 Physical Table Orders Orders	4 rows Remote Fie Row ID Order ID	# Orders Row ID	1 2 3 4 5	Abe Drefers Order ID CA-2016-152156 CA-2016-152156 CA-2016-138688 US-2015-108966 US-2015-108966	Corders Order Date 08-11-2016 08-11-2016 12-06-2015 11-10-2015 11-10-2015	Crears Ship Date 11-11-2016 11-11-2016 11-01-2016 18-10-2015 18-10-2015	Abs Onders Ship Mode Second Class Second Class Second Class Second Class Standard Class Standard Class	00 → rows Abc Orders Customer ID CG-12520 CG-12520 DV-13045 SO-20335 SO-20335	Abc Ordera Custon Claire Ordera Claire Darrin Sean (
Leep, from folde Levenson	Orders Name Orders Fields Type # Abc	Field Name Row ID Order ID Order Z	21 fields 9994 21 fields 9994 Physical Table Orders Orders Orders	4 rows Remote Fie Row ID Order ID Order Date	# Orders Row ID	1 2 3 4 5 6	Abc Dorders Order ID CA-2016-152156 CA-2016-152156 CA-2016-138688 US-2015-108966 US-2015-108966 CA-2014-115912	Image: Content of the second	Créers Ship Date 11-11-2016 11-11-2016 11-01-2016 18-10-2015 18-10-2015 18-10-2015 14-06-2014	Abe Onders Ship Mode Second Class Second Class Second Class Standard Class Standard Class Standard Class Standard Class	00 → rows Abc Orders Customer ID CG-12520 DV-13045 SO-20335 SO-20335 BH-11710	Abe Ordera Custon Claire Darrin Sean (Sean (Brosin

Now drag Returns table onto the Canvas to the right of Orders table. This shows the relation between the twotables Orders and Returns.

If we click on the link between Orders and Returns table names at the top gives the

summary of the relationship between the tables. Now rename the data store and click on Sheet1 at the bottom left to proceed. This step creates a data extract which improves query performance

	4	* [<u></u>]	ik i		🕅 - 🔟 🖗 Standard 👻 Suu - 🖵	📑 Show M
Data Analytics <	Pages			III Columns		The second secon
ခြာ sample-superstore				I Rows		Contra Canada Canada
earch P V III +	Filters			Sheet 1		
변 Order Date					Drop field here	
Abc Order ID	Marks					
Abc Product ID	I Au	tomatic	*			
Abc Product Name	Color	ଚ Size	Text			
# Row ID		\Box				
Abc Segment Ship Date Abc Ship Mode State Abc Sub-Category	Detail	Tooltip				
# Discount # Profit # Quantity # Sales # Orders (Count)				Drop field here	Drop field here	Select or drag data Use the Shift or Chri key to select multiple fields
Abc Order ID (Returns)						
Abc Returned # Returns (Count)						
Measure Names						
Latitude (generated) Longitude (generated)						

Data aggregation and statistical functions

We can apply various aggregation and statistical functions on data such as count, minimum, maximum, standard deviation, variance etc. This is shown below. This can be done by right clicking on the required field of dataset, click on Default properties and click on aggregation.

Paste Second Paster B Z	 Image: A set of the set of the	Q Q · @ Q ·	D 18 17 2 · 8 · 11 4 [st	tandard 🔹 💵 - 🖵	🖺 Show Me	AABBCCDE AA En Replace
Chipboard G	Sample-superstore	- Fages				Styles * select
Navigation v X	Sauch p 7 III-		ine rows.		10 Mar 19 19 10 10	0
search Document 20 -	Tables Ab: Customer Name	+ iters	Sheet 1	Grou held here		
This document does not contain headings.	ab: Order ID	Marks			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
To create navigation tabs, create headloss in your	Postal Code	UI Automatic	2		1 1 1 1 1 1 1 1 1 1	
document by applying Beading Styles.	Abe: Product ID Ab: Product Name Ab: Region	Color Size Text				
	# Row ID	ada 🖵			and the second state	
	B Ship Date	Cecar (1000p)			353 	
	Att: Ship Mode				11	
	Ain Sub-Category				111111	
	+ Profit	Add to Sheet	Drop ≑/eld	Orap field here	For horizontal bars try	
	Quantity Sales Orders (Count)	Duplicate Rename Hide	nere		1 or more (Mdasuites)	
	✓ ⊟ Returns Ate: Order ID (Return ate: Returned	Create + Transform +				
	Returns (Count) No: Measure Names	Convert to Discrete Convert to Dimension				
	Latitude (generated	Default Properties 🔹 🕴	Comment			
	Longitude (general: Measure Values	Seographic Role 🔹 🕨	Color Number Format			
	8 Data Source Sh	Group by	Aggregation + Sum			
		Pantara Patarancar	Total using Average Median			Ē.
		Describe	Count			
			Count (Distinct)			
			Maximum			
			Percentile •			*
			Std. Dev (Pon.)			0

Or the above operation can be done by creating a calculated field as shown below. To create a calculated field, click on the down arrow button beside search tab above Tables panel, drag a field to that calculated field window.

Data Analytics	0			III. Colu			and the second s													
Para Analytics s	Pages		100	III GOIG	ints															
eg sumple superstore				i≣ Row	Ś															
aarch 🏿 🎗 🎟 🔹	h ⊅ ¥ III + Filters			She	*	*														
ables															Calculati	ion1	×	Aggregate *	SUM(expression)	n)
Order Date								Search	Returns the su	um of all the										
Abc Order ID Marks					Tourcel			INCLUDE	values in the	expression. SUM										
Postal Code	EB Au	🖾 Automatic 🔹			🖽 Automatic 👻						MEDIAN	fields only. 1	Null values are							
Abc Product ID	**	0	T				2	MIN	ignorea.											
Abe Region	Color	Size	Text					PERCENTILE	Example: SUM([Profit])										
# Row ID	000	Q						STDEVP		1										
Abc Segment	Detail	Tooltip						SUM												
Abe Ship Mode								VAR		F										
🐵 State					The calcu	lation is valid.	Apply													
Abc Sub-Category				1000						Colord an data data										
# Profit				field			Dropifie	ld here		Use the Shift or Ctrl key t										
# Quantity				here						select multiple fields										
# Sales																				
# Urders (Count)																				
Returns																				
Abc Returned										S										
# Returns (Count)																				
Measure Names																				
Latitude (generated)																				
Longitude (generated)																				

Then click on apply and results are shown below:

	<u>d</u> 4	* 👘		[월 1월 🖉 · 🖉 · 또 🛠 Standard · 🖬 · 모	🚍 Show Me
Data Analytics <	Pages			i Columns	Terrark law (
le sample-superstore				E Rows SUM(Calculation1)	2 00 00 00 00 00 00 00 00 00 00 00 00 00
Search ເ∧ 𝔤 IIII ▼ Tables	Filters			Sheet 1	
Abc Customer Name				2400K	
Abc Order ID	Marks			2200K	
Postal Code And Product ID	tall Au	itomatic	•	20004	
Abc Product Name	Color	6) Size	T Label	1997/	
# Row ID Abc Segment E Ship Date Abc Ship Mode	oto Detail	C Tooltip		7600K	
State Abc Sub-Category				1400K	
# Calculation1 # Discount # Profit # Quantity # Sales				1000K	For horizontal bars try O or more Dimensions 1 or more Measures
# Orders (Count)				800K	
Returns Abc Order ID (Returns)				600K	
Abc Returned # Returns (Count)				400K	
Abo Measure Names				2006	
Latitude (generated) Longitude (generated)				ок	

In the same way we can apply any aggregate or statistical function on data with the help of calculated fields.

Data Visualization

we can perform various visualization operations on data in Tableau. Some of them are bar cart, histogram, bubble chart, gantt chart, scatter plot, heat map etc. Bar chart:

Bar charts can be created in 3 variations in Tableau: Horizontal bars, stacked bars, sideby-side bars. Horizontal bars can be created by selecting that type of chart from Show Me menu on right hand side of Canvas. The type of chart in box on right hand side represents horizontal bar graph.

		-610		000 10 100	A G IN A	Charles and a second		9071 5	41							-	Chan Ma							
$\varphi_{\mathbf{r}} \models \leftarrow \rightarrow \bigcirc \cdot \square \bigcirc \Box_{\mathbf{r}}$	<u></u>	- Gar	⊡% *	87 18 18	<u>v</u> • 0/ • (1) 4	standard	1 -	Sidti - C	÷.								Show Me							
Data Analytics <	Pages	Pages III Columns. (SUM(Quantity)									10100410		-											
Corders+ (samplesupe				I Rows	E Rows Category Product Name												- 2010							
Search 👂 💎 🖽 🔹	Filters	ilters Product Name		channel a											6.75	N 15 91	-							
Tables	Produ			Sheet 1	Sheet 1										Lawrence of									
Orders ^	-			Category Product Name										-		1								
Abc Category	Marks			Furniture	3M Polarizing Light Filter	le de la companya de									No. of Concession, Name		90							
@ Country	ALC: NO	to on the			3M Polarizing Task Lamp	10										- Se	08 1							
Abc Customer ID		O	1991		6" Cubicle Wall Clock, Bla.		-																	
Abc Customer Name	Color	Size	Label		12-1/2 Diameter Round W.	E.																		
Order Date	1000	52			24-Hour Round Wall Clock	fi.										= Addy	1 ft							
Abo Order ID	Detail	Tooltip			36X48 HARDFLOOR CHAI.												TI							
Postal Code					Advantus Employee of the.	10											***							
Abc Product ID					Advantus Panel Wall Acryl	<u>k</u>									1.8.9									
.ili, Profit (bin)					Advantus Panel Wall Certi. Aluminum Document Fra		-																	
Abd Region												Anderson Hickey Conga T.		116								For ho	rizontal bars	try
# Row ID					Artistic Insta-Plaque										0 or m	ore Dimens	ions							
🗇 Ship Date					Atlantic Metals Mobile 2 Atlantic Metals Mobile 3			1							1 or mo	Measur	-							
Abo Ship Mode					Atlantic Metals Mobile 4-	ŧ.		12																
State					Atlantic Metals Mobile 5																			
# Discount					Balt Solid Wood Rectargu. Balt Solid Wood Round Ta.	1																		
# Profit					Bait Split Level Computer :																			
# Quantity					Barricks 18" x 48" Non-Fo.	-																		
# Sales # Orders (Count)					Restar Classic Rookcasa	-	-																	
Returns						0	20	40	60	80	100 Qu	120 antity	140	160	180	200	220							

Dept. of CS & E (Data Science)



Side-by-side bar chart can be created in following way.

Line graph: Line graph can be continuous or discrete



Dept. of CS & E (Data Science)

Discrete line graph is shown below:



Bubble chart:



Dashboards

Dashboard is a way of displaying various types of visual data in one place. Usually, a dashboard is intended to convey different, but related information in an easy-to-digest form. And oftentimes, this includes things like key performance indicators (KPI)s or other important business metrics that stakeholders need to see andunderstand at a glance.

Dashboards are useful across different industries and verticals because they're highly customizable. They can include data of all sorts with varying date ranges to help you understand: what happened, why it happened, what may happen, and what action should be taken.

For example, category of sales across months in a year, region is the field added. The first view is shown below. This can be renamed at the bottom of the screen.



Dept. of CS & E (Data Science)



chart was drawnbetween profit and subcategory. Then rename the sheet.

Next 3rd view is created as follows for profit for each subcategory in the category with averages.

※ ← → □・□ ♀ □↓・☞ □↓・□ ♡ 塩 ☞ ℓ・◎・□ ♀	 📑 Show Me
Dashboard Layout < Default Phone Default Preview Device Preview Size min 420x560 - max 650x860 +	
Sheets	
a) sales growth a) subcategory by a) subcategory wi b) category wi b) cat	
unop sneets nere	
bjects Diferizontal Container Vertical Container A Text Extension	Drag sheet to dashboard
0 Ask Data Data Story ∃ Image 9 Blank 2 Workflow 9 WebPage ▼	
Tiled Floating	
Show dashboard title	

After creating individual views, now a Dashboard can be created by clicking on create dashboard at the toolbar.



After clicking on new dashboard option, the screen is shown below.

Now the sheets or views which are created earlier can be drag and dropped on this dashboard. The above three created views are placed in the dashboard as follows. One can follow their own way of importing sheets on the dashboard. After creating dashboard, title can be given to the dashboard from Dashboard tab. Dashboard can be customized in terms of its appearance by the user if required. Dashboard once created can be saved on user's system and can be retrieved whenever required.



POWER BI

What is Power BI?

Power BI is a business intelligence tool that allows you to connect to various data sources, visualize the data in reports and dashboards, and then share them with anyone you want.

Power BI is a Data Visualization and Business Intelligence tool that converts data from different data sources to interactive dashboards and BI reports.

What is Power BI Used For

Power BI is a tool in the category of Business Intelligence (BI). The purpose of BI is to track Key Performance Indicators (KPIs) and uncover insights in business data so as to better inform decision-making across the organization.

Power BI is used in different ways depending on the role of the individual, from developers, analysts, managers, and directors, to everyone in between.

How Does Power BI Compare to Other Tools Like Tableau and Excel?

Power BI and Tableau are both business intelligence tools and have a lot of overlap in terms of their capabilities. There are 2 key differences between Power BI and Tableau:

- 1. Power BI only works on Windows, whereas Tableau supports both Windows and MacOS.
- 2. Pricing options differ between Power BI and Tableau. However, Tableau is generally the more expensive option.

Why Power BI?

"DATA "Analysis and Decision Making

Organizations need a tool that can help them understand the large amount of data that they are collecting. It is a powerful data visualization and analysis tool that allows **businesses to turn raw data into actionable insights and reports**.

Microsoft Power BI comes with a **free** or **paid version**. The free version only provides Power BI tools like **Power BI Desktop** and **Power Q&A** to dashboards. Whereas, in the Pro version they provide services like **live report sharing**, **Power View**, and more Power BI apps.

Key Differences Between Power BI and Tableau

Power BI	Tableau
Power BI uses DAX for measuring and calculating columns.	Tableau deploys MDX for dimensions and measures.
Power BI is best for a limited volume of data.	Tableau can handle huge columns of data and still offer better performance.
Power BI offers many data points for data visualization.	Tableau has better data visualization.

PROGRAM 1: Getting Started - Tableau Workspace, Tableau terminologies, Basic functionalities.

Working with Tableau that focuses on understanding the Tableau Workspace, Tableau terminologies, andbasic functionalities.

ableau - Book1						
Data Worksheet Dashboar	rd Story Analysis Map	Format S	Server Window Help	ormal 🔻 🖂	Z •	III Show Me
a Ahalytics +	Pages	iii Colum	ns			
ensions		III Rows				
States Year Measure Names	Filters		Drop field here			
sures Applications Submitted Number of Records Measure Values	Marks Abc Automatic Color Size Detail Tooltip	Drop field here	Drop field here			
Data Source Sheet 1				1		

Dataset used: vgsales.csv

- 1. Go to Start Page: Toggle between the active sheet and the Desktop Start Page.
- 2. Data Pane: Includes dimensions and measures, populated from your selected data source. May also include calculated fields, parameters, or sets.
- 3. Analytics Pane: Includes options you can use to apply reference lines, forecasts, trend lines, to add totals to crosstabs, and to build boxplots.
- 4. Workbook Name: The file name of our workbook.
- 5. View Cards: Used for modifying the worksheet.
- 6. Toolbar Icons: Icons are available for quick access to popular features.
- 7. Worksheet/View: Workspace for building your visualizations.
- 8. Go to Data Source: Returns you to the data source specification page.
- 9. Worksheet Tabs: Click to view a specific worksheet, dashboard, or story
- 10. New Worksheet, Dashboard, and Story abs: Click to create a new Worksheet, Dashboard, or Story.
- 11. Status Bar: Displays data about the fields and marks included in the view.

Steps:

1. Tableau Workspace Setup:

- Connect to Data:
- Open Tableau, and on the "Start Page," select Connect -> To a File -> Text File.
- Browse to the location of vgsales.csv and open it.
- Data Preview:
- After loading, Tableau will show a preview of the data. You can rename columns if necessary.
- Click on the "Sheet 1" tab at the bottom to go to your first worksheet.

P In Information Represent must be able to far Tred Ne workbook	ligaintos											
20 cloburgeolog System might be able to or Text Ne workbook	guains.cov											
20 Interpreter preter might be able to e Text Ne workbasik												
Interpreter spreter might be able to v Text file workdook												
le .								And a				
								Need more data?				
							Drag tabl	es here to relate them. Les	arm maure			
8:												
	quinter	+ 30 Junits Million rates										
	- alementer	• 20 Sector Million rules		14			441	44.	8			
	reputers and	 25 fields 16529 rows 	4	te Territoria	+	-	Maria Salara	an aparatesis	H Spinson	No. of Concession, Name	10 Spansers	M. Menotoria
	Spatientes Norme spatientes	• 32 helds MEDP rows	16	Nacional Autoreal	Alexandre and a second and a se	8 10.0000-10 10.00	Her Server Game	in operation Patienteen	li suomen MA Sales	B distances EU Laines	n generation JP Talers	H questions Other Lates
	Viguintato Name operation	• 20 Seals MiLD room	295	To eventual Norm	45. 1910 - 1910 2000	Names of States	no union o General Mási Factores	in armoni Nationar Activities	8 0000000 345 Sales 107000 0.55000	B Control of Control o	a autoria JP Sales 0.00	il Other Laires 00000000
	reputers and a	 20 Seals MiLD rows Provid Mar Remote Field 		to instantion Name Account Kotsus Kotsus	40 0000-00 2000 2000 2000	8 10.000 1580 1580	ini Sama an Ganna Mass Fighting Sparts	ie. Speensen Petersber Activision Activision	8 9000000 105000 03000 04600 04600	B 201 Sales 0.070000 0.940000 0.040000	9 99990000 80° Sales 0.00 0.00 0.000	# 0ther 5.airs 0.000000 0.0000000 0.0000000
	vgulin.tov Neme sjonarno Parisk 7.juli - Paula	E2 Settle M039 room Propriat Table Romate Fiel works room Young	5 N.	tus maninati Narre Autocont Bourg Kethoday Teenay	40 0000-00 2000 2000 2000 2000 2000	**************************************	Mo Same Mos Sports Acton	ing appropriate Patterniture Addression Addression Addression	H H 164 Salers 107000 0.52000 0.22000	B 2015am 0.070000 0.040000 0.040000 0.020000	9 99 Sales 80 Sales 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	#
	VpullPLAN Name sylvestate Parts Type Fault	E 20 feith 26539 runs	- 5: N.	to estatute Autore Auto	44 9000 2600 2600 2600 2600 2600	1980 1980 1980 1980 1980	tie Generation Generation Material Actors Material	ini Watanian Adonasi Adonasi Adonasi Adonasi	H 	B 	10 10 10 10 10 10 10 10 10 10 10 10 10 1	H Other Sales Octobolog Octobolog Octobolog Octobolog Octobolog Octobolog
	rguintato Nerre chostato 7ge facil 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20 Testilo 16039 rums Physical Tables Romain Fich egyptical Tables Romain Fich egyptical Tables Romain Fich egyptical Tables Romain Fich	5	to summer Automation Not Notes Not Notes Not Notes Not Notes Not Notes Not Notes Not Notes Not Notes Not Notes Not Not Not Not Not Not Not Not Not Not	14 0001	* *** 5900 5900 2000 2000 2000 2000	te seres Gene Miss Actor Mor Sports Actor Mor Shoular	ini Piketoko Adomisio Adomisio Adomisio Adomisio Adomisio Adomisio	84 Sales 845 Sales 0.10000 0.4600 0.2000 0.2000 0.2000 0.2000	Burners EU Sans 0.000000	# 1999 # 1999 000 000 000 000 000 000 000 000 000	8 00her Saire 0.000000 0.0000000 0.0000000 0.0000000 0.000000
	Vigatination Name Galancian Traja Fasid Traja Fasid San Paula San San San San San San San San San San	20 fields MEDP rows Physical Table Bonulo Field updets pro vapatet Sair vapat	5. N.	Name Name Name Norma Nor	144 2000-000 2000 2000 2000 2000 2000 200	**************************************	ile summer Generation Generation Adout Sporta Actoon Adout Shootar	ies ieseren Peterster Retinsson Activision Activision Activision Activision Activision Activision Activision Activision Activision	8 100000 84 5600 0 10000 0 10000	8 007000 0.54000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000	1 1997 Safety 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	# Other Lairs 0.0200000 0.0200000 0.0200000 0.0200000 0.0200000 0.0200000 0.0200000 0.0200000

Tableau Terminologies:

- **Dimensions:** These are qualitative fields. In vgsales.csv, examples include Platform, Genre and Publisher.
- **Measures:** These are quantitative fields used for calculations. Examples are Global_Sales, NA_Sales, and Year.
- **Rows and Columns Shelf**: Drag dimensions and measures to the Rows or Columns shelves to build the structure of your visualization.
- **Marks:** Controls the appearance of the data. You can set marks to be circles, bars, or other shapes and control size, color, and label.
- Filters: Used to limit the data displayed in the view.
- **Pages Shelf:** Used for creating animations or segmenting your view by categories.

2. Basic Functionalities:

a.Basic Visualization (Bar Chart of Global Sales by Genre):

- In your worksheet, drag Genre to the Columns shelf.
- Drag Global_Sales to the Rows shelf.
- You should see a bar chart. If the data isn't aggregating correctly, check if the aggregation is set to SUM by right-clicking Global_Sales -> Measure -> Sum.

b.Sorting:

• Click on the Global_Sales axis and sort descending to show the genres with the most sales first.



c. Filtering:

- Drag Year to the Filters shelf.
- Choose the range of years you want to display (e.g., 2000-2016).
- Add Year to the Pages shelf to create a dynamic view of how sales changed over time



4 .Additional Functionalities:

Dashboards: Combine different sheets to create a comprehensive dashboard. Go to the Dashboard tab, drag your created sheets to the layout, and arrange them accordingly.

- a. Add one more worksheet Global Sales Trend by Year
- Drag Year to the Columns.
- Drag Global_Sales to the Rows.
- Create a line chart to show how global sales have trended over time.
- Add Genere to the Marks
- Apply color to Genere



b.Go to the Dashboard tab in Tableau.

c. Add multiple visualizations to a single dashboard. (To increase dashboard size - select size-Automatic)

d. Arrange charts (e.g., a line chart for yearly sales, a bar chart for top genres, etc.).



PROGRAM 2 : Connecting to Data Source – Connecting to Database, Different types of Tableau Joins.

Dataset used: Tableau Joins File: Contains 3 sheets : Demographics, Salary, Job Title

- 1. Connecting to Excel Files in Tableau:
 - Open Tableau and click on **Connect** in the left pane.
 - Under **To a File**, choose **Microsoft Excel**.
 - Browse and select your Excel file (Tableau Joins File.xlsx).
 - Tableau will display the sheets from the Excel file in the Data Source tab.
 - Drag the relevant sheets to the workspace.
- 2. Tableau Joins File.xlsx Dataset: has three Excel sheets

Demographics:

- EmployeeID
- Name of Employee
- Employee Age
- Employee Gender
- Salary:
- EmployeeID
- Employee Salary

These sheets have a relationship based on the EmployeeID, and you can join them using this field.

Drag and drop Demographics table- Right click-select open- that allows you to do following types of joins.

Now Drag and drop Salary table - That allows you to do join of your choice.

3. Types of Joins in Tableau:

Once both tables are in the Data Source tab, Tableau automatically suggests an inner join, but you can modify the type of join depending on the scenario.

- a. Inner Join:
- **Description**: Returns only records where there is a match in both tables.
 - How to Create in Tableau:
 - Drag Demographics and Salary sheets into the canvas.
 - Tableau automatically detects the common field (EmployeeID). If not, manually select it.
 - Choose Inner Join in the Join Type options.
 - Result: You will see only employees whose employee id matches in both Demographics and salary table

energy an ecosidation of the party										
$\leftarrow \rightarrow \square \cdot \square \circ \bigcirc$	0 · D	emographie	cs+ (Tablea	u Joins File	e)					
nnections Add										
ableau Joins File Montoh Excel	De	mographics is n	nade of 2 tables. (D						
ets p	D	emographics		Sairary						
Use Data Interpreter		3oin			×					
Data Interpreter might be able to clean your Microsoft Excel workbook			Der Left	Right	Full Outer					
Demographics			Data Source	4	Salrary					
ß JobTitle		Employee	= D =	Employeel	D (Salrary)					
Salrary		Add new	Join clause							
New Union										
	Demogra	phics	• 6 fields 7 rows							
	Demogra	phics	• 6 fields 7 rows		-	Abe	45	450	-	*
	Demogra Name Demogra	phics	• 6 fields 7 rows	×	# Demographics Employee ID	Ate Demographics Nameof Employee	4t Demographica Employee Age	iate Demographics Employee Gender	ے کیفعی EmployeeID (Sairary)	* Salary Employee Salary
	Demogra Name Demogras	phics	• 6 fields 7 rows	×	# Demographics Employee ID 1001	itte Demographica Nameof Employee Jim Halpert	4 Demographica Employee Age 38	Lase Demographics Employee Gender Male	© Salary Employee(D (Salrary) 1001	æ Satary Employee Satary 45.000
	Demogra Name Demogray Fields	phics	6 fields 7 rows	×	Employee ID 1002	Abi Demographics Nameof Employee Jim Halpert Pam Beasiey	# Demographica Employee Age 38	iale Demographica Employee Gender Male Female	# Seary EmployeeID (Salrary) 1001 1002	# Sarooy Employee Salary 45,000 15,000
	Demogra Name Demogray Fields Type	phics shies Field Name	O fields 7 rows O fields 7 rows Physical Table	K Remote Fi	Employee ID 1002 1003 1003	Xte Demographics Nameof Employee Jim Halpert Pam Beasley Dwight Schrute	4 Demographical Employee Age 32 33	Ste Demosraticos Employee Gender Male Fernale Male	# Sahara; EmployeelD (Salrary) 1001 1002 1003	* Satory Employee Salary 45,000 55,000 65,000
	Demogra Name Demogray Fields Type #	phics shies Field Name Employee ID	O fields 7 rows O fields 7 rows Physical Table Demographics	K Remote Fi EmployeeID	* Dentgraphes Employee ID 1001 1002 1003 1004	Ate Demographics Nameof Employee Jim Halpert Pam Beasley Dwight Schrute Toby Flenderson	# Demographica Employee Age 38 33 33 33 33	ideo Demographico Employee Gender Male Fomain Male Male	۵۰ ۵۰/۵۳۲ EmployeeID (Salrary) 1001 1002 1004	# Safory Employee Satary 45,000 35,000 65,000 38,500
	Demogra Name Demogray Fields Type # Acc	phics shies Field Name Employee ID Named Employee	6 fields 7 rows Physical Table Demographics Demographics	Remote Fi EmployeeID Nameol@fi	* Demployables Employee ID 1001 1002 1003 1004 1005	Ate Demograshes Nameof Employee Jim Halpert Pam Beasley Dwight Schrute Toby Fienderson Angela Martin	# Demographics Employee Age 32 33 34 34 34 34 34 34	Gate Demographics Employee Gender Male Female Male Female	# Salary Employee(D (Salrary) 1001 1002 1003 1004 1005	# Salory Employee Salary 45,000 55,000 68,000 88,500 45,000
	Demogra Name Demogray Fields Type # Acc #	phics blies Field Name Employee ID Named Employee Employee/ee	6 fields 7 rows 6 fields 7 rows Physical Table Demographics Demographics Demographics	Kemote Fi EmployeeID NamcolEm EmployeeAge	# Demographics Employee ID 1002 1003 1004 1005 1006	Ate Demographics Nameof Employee Jim Halpert Pam Beasley Dwight Schrute Toky Flenderson Angela Martin Michael Scott	#:: Demographics Employee Age 33 4 34 35 34 35 34 35 34 35	Late Demographics Employee Gender Male Female Male Female Female Male	# Salaray EmployeelD (Salrary) 1001 1002 1004 1005 1006	# 53/99/ Employee Salary 45,000 35,000 66,000 38,500 45,000 70,000
	Demogra Name Demogray Fields Type # Acc # Mas	phics Field Name Employee ID Nameof Employee Employee Gender	O fields 7 rows O fields 7 rows Physical Table Demographics Demographics Demographics	K Remote Fi EmployeelD NamcolEm EmployeeAge EmployeeAge	* Demographics Employee ID 1001 1002 1003 1004 1005 1005 1007	Ate Demographics Nameof Employee Jim Halpert Pam Beatiley Dwight Schrute Toby Pienderson Angele Martin Michael Soatt Michael Soatt	#: Cemsexolves Employee Age 39 30 30 30 30 30 30 30 30 30 30 30 30 30	Labo Geneparativos Employee Gender Male Fenale Male Fenale Male Fenale Male	# Searsy EmployeelD (Salrary) 1001 1003 1004 1005 1006 10005	* Sarooy Employee Salary 45,000 65,000 65,000 88,500 45,000 10,000 10,000
	Demogra Name Demogra Fields Type # Acc # Acc #	Phics Field Name Employee ID Nameof Employee Employee Gender Employee (Cal)	O fields 7 rous O fields 7 rous Physical Table Demographics Demographics Demographics Salary	K Remote Fi EmployeeID NamcolEm_ EmployeeAge EmployeeG	Employee ID 1001 1001 1003 1004 1005 1006 1007	Atel Demographics Nambel Employee Jim Halsert Pam Beasley Dwight Schrute Toby Flenderson Angels Martin Michael Scott Meredith Palmer	# Democryphica Employee Age 34 35 34 34 34 34 34 34 34 34 34 34 34 34 34	Alle Demographics Employee Gender Male Fernale Male Fernale Male Fernale Fernale	# Sahara; EmployeeID (Salrary) 1001 1002 1003 1004 1004 1005 1006 1007	* Satory / Employee Salary 45,000 55,000 65,000 63,00000 63,0000 63,0000 63,0000000000

b. Left Join:

a. **Description**: Returns all records from the left table (Demographics), and matched records from the right table (salary). If there's no match, NULL values are returned for fields from the right table.

How to Create in Tableau:

- b. In the join settings, select Left Join.
- c. Result: All employees will be returned, even if data missing in Salary. Salary information will be NULL for those without a match.

$\leftarrow \rightarrow \simeq \cdot \Box \odot$	⊡ · Demogr	aphics+ (Tab	leau Joins	s File)					
nnections Add									
Tableau Joins File	Demographics	is made of 2 tables.	a						
ante o	Demographics		Salrary						
		(Aug			Y				
Data Interpreter night be able to clean your Microsoft Excel warkback. Demographics <u>B</u> JobTille <u>B</u> JobTille		Deta Source Employee ID Address of adapt	eft Ris	Full Oute Sakery mployeetD (Sakory)					
	Demographics	• D Netda 10 Yow	•		2894				
	Demographics Name Concerns advance	•) twiste to row	e e	# Immunication Employee ID	-Jan Deveg server Nameof Ersployee	ite Demos sativa Employee Age	isla (Service) spinor Ernployee Gender	as Strikey Ennyclogene(D (Saltary)	4. Sorry Employee Salary
	Demographics Name Demographics	• B helds 10 row	i.	# Franciscover Employeer ID TOOI	Alex Decrementaria Nearmont Employee Arm Halipert	ta Derros estava Employee Age	inter Generation Errophysee Gender Male	a Series Engelogee(D (Saldary) 1007	H Loren Employee Salary 45.000
	Demographics Name Demographics Fields	• O Tends 20 Yok	r. E	# Francisco Englique ID TOOI 1002	Jan Derspannen Namen Ersployee Jan Halper Part Bossiey	15 Demographics Employee Age 3 3	ister Geronge spänne Employee Gender Male Formale	an Series Engelogen(D (Satisfy) 3001 1002	a Genery Employee Salary 45,000 35,000
	Demographics Nome Demographics Fields Type Field Name	O fields 10 row Physical Table	Remote Fi	# Employee ID Tool 1002 1003	Jan Deresterent Remeder Employee Jahr Malphrit Perri Destiky Durgit Schutzig	te Dermanantika Employee Ager S	ala- Constantion Erroptoyae Gender Male Perrole Mole	ан Билосу Епиракуев(D (Salvary) 1001 1002	a Imployee Salary 46,000 26,000 86,000
	Dernographics Name Dernographics Fleds Type Fleds Dernographics Fleds Fl	B Netds 20 rew Physical Table Demographics	6 Remote Fi Employeet0	а Бларадовен ID Тоол 19003 10003	Jae Demogramme Normoel Employee Jam Holpers Perri Beasiley Dingst Schude Taby Plenderson	10 Bernse autors Employee Age 3 3 3 3 3 3 3	ska parner sprey Employee Gender Male Pernole Male Male	1007 Employeet0 (Salrary) Employeet0 (Salrary) 1002 1003 1004	# Employee Salary 46.000 95.000 66.000 30.000
	Demographics Damo Demographics Pictor Door Pictor Name Door Pictor Name Door Door Pictor Name Door Pictor Na	D Tends 2D Jow Physical Table Demographics yye	s Remote Fi Employeet0 Nameoffm	ш Тананаралар Егоріоден ID 1002 1003 1004 1004	Jane Denegageneres Jan Talajaer. Pener Deselley Dongst Schruste Tilloy Flenderson Angeta Marcin	te Derographice Employee Age 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Silve Connect set of Employee Cander Male Persole Male Kale Emble	illingi Englispielß (Babary) Englispielß (Babary) 1001 1002 1004 1005	a Super- Tenglogee Balary 48,000 38,000 38,000 48,000
	Termographics Name Cerrographics Flexibility Type Flexibility Fle	O Seeds 30 Yow Physical Table Demographics Demographics Demographics	Remote Fi EmployeetD Nameo/Em	ш Банцароргани Бладабоден ID 1003 1003 1004 1006	Ann Normal Engliques Jany Holpers Perr Deaning Dergit Schrufe Tildy Plenderson Angela Martin Mechael Sott	12 Torrup or four Employee Age 3 3 3 3 3 4 4	Adain Adain Erryphogen Glander Parryphoge Mole Mole Kana Fernale Kala	а 19.00 Епцинуний (байаду) 2003 2004 2005 2004 2005 2004	#
	Demographics Period Participation Period Period	B fields (D rook Physical Table: Demographics Demographics Demographics Demographics Demographics	Remote FL. EmployeetD NameofEm EmployeeAge EmployeeAge	а Велиционали Егороборов ID 1001 1004 1005 1005 1005	Take Exercised Employee Jam Yashari Perri Bashari Dingart Schwide Tildy Flenterbort Angeta Martin Mennas Soots Merektiki Pelver	a Dempinione Age Empiloyee Age 3 3 3 3 3 3 3 3 4 4 4	Alex Compage (ander Employee Gender Employee Gender Mole Mole Kalae Fernale Fernale Parnale		8 Employee Salary 2000 30.000 30.000 40.000 40.000 40.000 40.000
	Derhographics Name Concept refront	B fields 30 how Physical Table Physical Table Demographics Demographics Demographics Demographics Demographics Demographics	Remote FL. EmployeetD NamouFEn. EmployeetD EmployeetD	а. Владіоден 10 Владіоден 10 1003 1004 1004 1004 1006 1009 1009	Ann Marchaetter Jahr Hallaett Dreigt Schuder Dreigt Schude Tüby Feneteson Angeta Marchin Marcadha Debres Marcadha Debres Stanley Fusiker	terreptoyee Age Erreptoyee Age 3 3 3 4 4 4 4 4 4	Autor Companying Canadar Companying Canadar Mada Paringto Kalar Remate Anale Paringto Kalar Panuale Mada	а Элуу Барраунай (Sabary) 1002 1003 1004 1006 1006 1006 1007 000	а колородиција Сладорај Баклу 46.000 105.000 105.000 46.000 40.0000 40.00000 40.00000 40.00000000
	Demographics Particle Particle Particle Particle Particle Particle Particle Particle Particle Particle Particle Particle Particle Particle Particle Particle Particle Particle Particle Particle P	B techs 30 min Physical Table: Demographics Cennagraphics Cennagraphics Demographics Safwry safwry	Remote FL. EmployeetD Name of En- SinployeetD EmployeetD EmployeetD. EmployeetB.	40 Producer 10 Englique 10 1001 1004 1005 1006 1005 1009 1009	Alter Demonstrative Promote Encyclopee Denystric Generative Denystric Generative Denystric Generative Denystric Generative Tatlog Planaterision Macrosoft Planaterision Macrosoft Delayee Staraney Planaterision Staraney Planaterision	Employer Apr Cimployer Apr Single State Single State Sing	salar Generations Employee Generation Male Permote Male Kanale Salar Fermate Male Salar Sa	а Багау Епереунію (Satory) Бор 1007 1003 1004 1009 1009 1009 1009 1009 1009 1009	8 Employee Salary Employee Salary 30,000 30,000 34,000 40,000 40,000 1

- c. Right Join:
 - **Description**: Returns all records from the right table (Salary), and matched records from the left table(Demographics). If there's no match, NULL values are returned for fields from the left table.
 - How to Create in Tableau:
 - Select **Right Join**.

Result: You will see all salary, even if they don't

$\leftarrow \rightarrow \Box \cdot \Box \circ$	0· [Demogra	phics+ (Tal	oleau Joir	ıs File)					
onnections Add										
Tableau Joins File	Die	emographics is	marks of 2 tables	m						
Microsoft Excel		smographies								
iheets p	10	emographics		Saira	(y					
Use Data Interpreter		3	oin			×				
Data Interpreter might be able to clean your Microsoft Excel workbook			Inner	Left F	ight Full Out	ər				
III Demographics			Data Source		Salvary					
III JobTitle		E-	nployee ID	1.000	EmployeeID (Salrary) =	×				
III Salrary		28	dd new Join dause							
-						2.3				
	Demogra	aphics	▼ 6 fields 8 rov	rs	40	Ala	2 #	Abe		_ 48
	Demogra	iphics	▼ 6 fields 8 rov	75 4	44 Demographics Employee ID	Ada Dimigraphics Nameof Employee	# Demographics Employee Age	Ale Dimogracius Employee Gander	44 Salary Employeel0 (Salary)	# Salary Employee Salary
	Demogra Name Demogra	phics	• S fields 8 rov	rs 4	H Demographics Employee ID 1001	Ale Diningraphics Nameof Employee Jim Malpert	4 Demographics Employee Age 35	Ale Demographics Employee Gender Male	H Solary Employee1D (Saltary) 1001	t Sabary Employee Salary 46.000
	Demogra Name Demogra Fields	uphics	♥ 8 fields 8 rov	a	44 Demographics Employee ID 1001 1002	Ale Dimpysithes Named Employee Jim Hapet Pam Beastry	4 Demographics Employee Age 35 35	Ale Omrograchica Employee Gender Male Female	Hi Solaray EmployeelD (Salrayy) 1001 1002	4 2007y Employee Salary 46,000 35,000
	Demogra Name Demogra Fields Type	phics Phics Field Name	G fields 8 rov Physical Table	rs Remote Fi	4 Demographics Employee ID 1001 1002 1003	Ale Dimpysebiss Nameel Employee Jim Holpert Pam Bessley Dwight Schute	44 Demographics Employee Age 35 35 37	Ale Omrogachia Employee Gender Male Female Male	4 Salary EmployéeiD (Salrary) 1001 1002 1003	8 Scory Employee Salary 45,000 35,000 65,000
	Demogra Name Demogra Fields Type 30	phics Field Name Employee ID	C fields 8 rov Physical Table Demographic	/5	4 Demospositiva Employee ID 1001 1002 1003	Ale Dimpropries Nameof Employee Jim Halpert Pam Beasley Dwight Schrute Toby Flenderson	44 Demographics Employee Age 35 35 35 37 38	Ale Omrogradina Employee Gender Male Fernale Male Male	4 Balary EmployeetD (Satrary) 1001 1003 1004	8 500 ary Emptoyee Salary 45.000 35.000 05.000 38.000 38.000
	Demogra Name Demogra Fields Type 3b Ab-	phics Pried Name Employée ID Named Employée	C fields 8 rov Official Table Demographic Demographic	rs Remote Fi EmployeeID NamooTem	ii Comparative Employee ID 1001 1003 1003 1004	Ais. Dempendens Nameof Employee Jim Halpert Pam Beasley Desptt Schrute Toky Flenderson Angela Martin	ei Demotoyee Age 35 37 36 37 38 34	Ale Employee Gender Male Fernale Male Fernale Fernale	Ш Болго Етрроучетр (Satrary) 1002 1003 1004 1005	# 5000y Emptoyee Salary 45,000 95,000 38,500 45,000
	Demogra Name Demogra Fields Type at- at- at-	phics Field Name Employee ID Named Employee Age	C fields 8 rov Physical Table Demographic Demographic	s Remote Fi CmployeeID NamoofEm EmployeeAge	14 Склородова Егтородова 1001 1003 1004 1006 1006	Ale Diningrathis Nameof Employee Jim Holpert Pam Deasley Dwight Schrute Toby Flenderson Angela Martin Michael Scott	H Demographics Employee Age 35 37 38 34 34 34 34 34 34 34 34 34 34 34 34 34	Ale Omrogedina Employee Gender Male Female Male Female Male Female Male	4 Engloyee(D (Salrary) Engloyee(D (Salrary) 1001 1003 1004 1005	4 Scory Employee Salary 45,000 38,000 38,000 45,000 70,000
	Demogra Name Demogra Fields Type 46 Asis 46 Asis	phics Field Name Employee ID Nameof Employee Age Employee Gende	C thefds 8 nov Physical Table Demographic Demographic Demographic	 Remote Fi EmployeeD Nameo/Em. EmployeeAge 	4) Enroptoyle (D 1001 3002 1003 1004 1006 1006	Jan Song Japan Nameof Employee Jim Haiper Pam Beastly Dwight Schrute Toby Fierderson Angela Martin Michael Scott Meredith Palmer	4 Demographics Employee Age 35 35 37 38 39 39 39 34 34 34 34 34 34 34 34 34 34 35 35 35 35 35 35 35 35 35 35 35 35 35	ate Ornograchina Employee Gender Mate Fernale Mate Fernale Mate Fernale	-# Bahay, EmployeeID (Salrary) 1001 1002 1003 1004 1006 1006	# Scory Employee Salary 46,000 35,000 65,000 38,500 45,000 70,000 40,000
	Demogra Name Demogra Fields Type & Asi Asi Asi De Asi Asi	Phics Field Name Employee ID Named Employee Age Employee Age Employee Grid Employee (Sal	O fields 8 rov O fields	 Remote Fi Remote Fi Employeed Employeed 	4 Desergenting Employee 15 1001 1002 1003 1004 1005 1006 1007 <i>null</i>	Ass Demperatures Nameer Employee Jim Halpert Pam Beasley Dwight Schrute Toby Flenderson Angela Martin Michael Scott Meredith Pahner net	4 Demographics Employee Age 35 35 36 34 40 43 700/	Ale Dronopyee Gender Male Fernale Male Pernale Pernale Fernale Fernale Fernale	#i Survey Employee10 (Satrary) 1003 1004 1006 1006 1007 1000	# 5x.mp Employee Salary 46.000 35.000 35.000 46.000 70.000 40.000 25.000

d. Full Outer Join:

- **Description**: Returns all records when there is a match in either the left (Demographics) or right (JobTitle) table. If there's no match, NULL values are returned for the missing side.
 - How to Create in Tableau:
 - Select Full Outer Join.
 - Result: You will see all employees and all salary, even if they don't have a match in the othertable. NULL values will appear where there's no corresponding record.

		0- De	mographic	s+ (Tabl	eau Joins	s File)					
	nections Add										
ent int	Tableau Joins File	Demo	ographics is made	of 2 tables. G	D						
Image: Inclusion of the state of t	Use Data Interpreter Obtain Unterpreter Obtain Unterpreter might be able to elean your Mhorssoft Excel Workshook. El Demographies El John This Bishary. Eb New Union	Demo	agraphics	or Le ala Source ID on côurce	oft Rig	Prt Full Oute Salrary mployeetD (Salrary)	*				
Neme Description											
Free Function Function <t< th=""><th></th><th>Demographic</th><th>os v</th><th>ō fields 11 rows</th><th></th><th></th><th></th><th></th><th>1 842</th><th>1</th><th></th></t<>		Demographic	os v	ō fields 11 rows					1 842	1	
Pinte Control Pinte Control Pinne		Demographic Name Demographic	cs •	6 fields 11 rows	×	itte Dernogragerice Employee ID	Atel Damographics Nameof Employee	te Derrographies Employee Age	Atte Derrogragenza Employee Gender	tt Salaay EmployeelD (Salrary)	# Saving Employee Solary
Proc Proce Proce Area Remote File Genome		Demographic Name Demographic	•	6 fields 11 rows	2	# Derrugs aphres Employee ID 1001	Ate Demographics Nameof Employee Jim Hölpert	tt Derrographies Employee Age 35	Alle Demojogen Gender Male	H Suisey EmployeeID (Salrary) 1001	H Servicy Employee Selary 45,000
## Employee Do Demographies Employee Do Topolyee Do <thtopolyee do<="" th=""> <thtop< td=""><td></td><td>Demographic Name Demographic Fields</td><td>cs v]</td><td>6 fields 11 rows</td><td>2</td><td>te Derregrisphics Employee ID 1001 1002</td><td>Ale Damographics Namoof Employee Jim Halpert Pam Beasley</td><td># Derrographies Employee Age 36</td><td>Alle Demographics Employee Mole Female</td><td>tit Sarray EmployeelD (Satrary) 1001 1002</td><td>it Source Employee Solary 45,000 35,000</td></thtop<></thtopolyee>		Demographic Name Demographic Fields	cs v]	6 fields 11 rows	2	te Derregrisphics Employee ID 1001 1002	Ale Damographics Namoof Employee Jim Halpert Pam Beasley	# Derrographies Employee Age 36	Alle Demographics Employee Mole Female	tit Sarray EmployeelD (Satrary) 1001 1002	it Source Employee Solary 45,000 35,000
Anil Named Enginge Demogration Analysis Allow Allow<		Demographic Name Demographics Fields Type Fi	cs v	© fields 11 rows Physical Table	< Remote Fi	ati Derregrisphice Employee ID 1003 1003 1003	Ales Damographics Nameof Employee Jim Holpert Pam Boasley Dwight Schrute	U Derrigt aptres Employee Age 36 35 37	alas Dermagnapares Employee Gender Male Permale Male	ti Saray EmployeelD (Salrary) 1001 1003	H Survey Employee Salary 46,000 35,000 65,000
## Englayse Age Demographies Englayse Age Option Minites Biolitit (#0) Minites Biolitit		Demographic Name Demographic Fields Type Fi + Er	ca v	o fields 11 rows Physical Table Demographics	Kemote Fi EmployeeID	in Oprovje sektori Employee ID 1001 1002 1003 1004	Dimension Dimensional Name of Employee Jim Halpert Part Beasley Dwight Schrute Taby Flenderson	8 Demonstratives Employee Age 36 37 37	Alis Employee Gender Male Pernale Male Male	ан Барбуусов (Galrary) Барбуусов (Galrary) 1003 1003 1004	Employee Splary 65.000 65.000 85.000 85.000
Anno Environment Demonstration Complexity Complexit		Demographic Name Demographic Fields Type Fi 4 Ér Alui Ni	is letd Name imployee ID Larrout Errsployee	o fields 11 rows Physical Table Demographics Demographics	Remote FL., EmployeeID NameofEm.,	# Derrographics Emoloyee ID 1001 1002 1003 1004 1006	Ale Demographics Namoof Employee Jim Holport Pam Beasley Dwight Schrute Toby Finenderson Angels Martin	4 Demographies Employee Age 36 37 37 37 37 34	ates Demographics Employee Gender Mole Mole Mole Pernate Pernate	0 500 % CmployeelD (Salrary) 1001 1002 1003 1004 1004	8 Employee Solary 48,000 58,000 38,800 48,000
## Engloyee10 (Sal Sarary Engloyee0 1000 Startey Mation dia Male out out ## Engloyee10 (Sal Sarary Engloyee3 1000 Startey Mation 37 Male out out out ## Engloyee5 datary Engloyee5 Engloyee6 Neven 33 Male out out out		Demographic Name Demographics Fisitis Type Fi # Er Ale N	es • • I	o fields 11 rows Physical Table Demographics Demographics Demographics	Remote Fi Employeel0 NameofEm. EmployeeAge	** Cernopy aphies Emoloyee ID 1001 1003 1004 1005 1006	Ale Drinographies Nameor Employee Jim Halpert Pam Beastey Owight Software Totty Plenderson Angela Martin Michael Soft	Employee Age 35 35 36 37 38 36 36 36 36 36 36 36 36 36 36 36 36 36	Alectory sparses Demographics Employee Gender Male Permale Male Permale Male	# ###5 EmployeelD (Balrary) 1001 1003 1004 1005 1000 1000	8 5000 Employee Salary 55,000 55,0
Image:		Demographic Name Demographic Fisids Type Fi 4 Er alia Ni 4 Er alia Er	is	o fields 11 rows Physical Table Demographics Demographics Demographics	Remote FL., EmployeelD NameofEm EmployeeG.	# Derrographics Employee 10 1002 1003 1004 1006 1006 1006	Ane Demographies Nameof Engloyee Jim Halpert Pam Bessley Dwight Schrute Toby Flenderson Angela Martin Nichael Scott Meredith Palmer	40 Carriege agateses Employee Age 35 35 36 36 36 36 36 36 36 36 36 36 36 36 36	Ale Denegraphica Employee Gender Male Permale Male Permale Male Permale	-8 Biology Creatiognetic (Balframy) Local	8 Ecology Ecology 45,000 55,000 65,000 45,000 45,000 70,000 40,000
null Ryan Moward 31 Male null null		Demographic Name Demographics Fields Type Fi 44 Er 44 Er 44 Er	letid Name mployae ID larnard Engloyae mployae Gandar mployae Gandar	o fields 11 rows Physical Table Demographics Demographics Demographics Demographics	Remote Fi EmployeelD Nameofem. EmployeeAge EmployeeAge EmployeeBo	** Cerning splites Emologies ID 1001 1003 1004 1006 1006 1007 1008	Americanova Americanova Americanova Americanova Namoof Employee John Holpert Pathy Flenderson Angela Martin Method Boots Method Boots Startuy Hudson	Employee Age Service and Second Second Second Secon	Zac. Demographics Employee Gender Male Pennate Mate Pennate Mate Pennate Mate Pennate Mate Mate	# Employee10 (Balracy) 1003 1004 1005 1006 1006 1006 1006 1006	Emuloyee Salary Encode Salary 45.000 45.000 45.000 46.000 40.000 40.000 40.000 40.000
		Demographic Demographic Pierrographic Type Fi 44 Er 355 Ni 44 Er 355 Er 45 Er 45 Er 45 Er 45 Er	is Iletta Nanne mployee ID tament Ensiteyee mployee Age mployee Ender mployee Ender mployee Ender	o tielda 11 rows Physical Table Demographios Demographios Demographios Demographios Satrary Satrary	Remote FL., EmployeelD NameotEm, Employeed, Employeed, Employeed, Employeed,	# Compression Employee ID 1001 1003 1004 1006 1006 1006 1007 1008	Ane Damophaphas Manneof Employee Jim Halpert Parn Beastay Dokipht Schrute Toby Flenderson Angela Martin Michael Isots Michael Isots Michael Isots Maredith Painser Stanley Haudson Revin Malone	40 Comparation Employee Age 30 30 30 30 30 30 30 30 30 30 30 30 30	Ale Daningraphitä Employee Gender Male Pernale Male Pernale Male Fernale Male Male Male	-# Balary Employee10 (Balrany) 1001 1003 1004 1006 1007 1007 1007 1007	# Broologies 65000 65000 65000 65000 66000 73000 73000 6000 73000 6000 70000 70000 70000

4. Creating a Visualization Based on Joins:

After performing the joins, you can build different visualizations. Press on Sheet 1:

For example,

- **Bar Chart**: Number of employees and their salary.
- Drag Name of Employee to **Columns**.
- Drag Employee Salary to **Rows**.
- This chart will display the number of employees and their salary based on the type of join.
- Sort it in descending
- Drag Employee Salary to Marks Select color Color, Label.



• After installing it we have to connect to Mysql

Connections A	dd A	a a connecti	or Connec	ctions)					Connectie (© Live	C Extract	Ci Arier
localhost Mri03 Sample _ superstore Second Court	See Ta		MySQL	The second second			×				×
Shaeta III: Ordenia III: People III: Roturna III: New Union often Paisw Table Extension	e To M Te JE M Sa	n File crosoft Excel ist file cost file crosoft Access of file satial file atlattoal file	Server localnost Port 3306 Database Optional	Initial SQL			_				
	M To		Password							297	→] rows 40 ~
		icrosoft SQL Server acle mazon Redshift	🖂 Require	551				Disters Ship Date	Also Orders Ship Mode	Also Ovaleta Customer ID	oleo Ordera Customer Name
	M.						Sign In	01-09-2014	Second Class	20-21925 2D-21925	Zuschuss Donatom Zuschuss Donatolli
			valcal Table	Remote F	213	CA-2014-143336	27-08-2014	01-09-2014	Second Class	20-21925	Zuschuss Donatelli
	10 CON	Prove UN	Orders	Buw ID	56	CA 2016-111682	17 06 2016	18 06 2016	First Glass	TB 21055	Tod Butterfield
		Optor ID	Orders	Order ID	67	CA-2010-111682	17-06-2016	18-06-2016	First Glass	TB-21055	Test Statterfield
	123	Order Date	Orders	Order Date	58	CA-2016-111682	12-06-2016	18-06-2016	First Class	TB-21055	Test Butterfield
Part & Walkington Williams / 1920 - 182	- 03										

PROGRAM 3: Creating a View – formatting charts, adding filters, creating calculated fields and defining parameters.

Step 1: Connect to Data

1. Open Tableau Desktop.2

2. Connect to Your Data Source:

- a. Click on Connect on the left sidebar.
- b. Choose your data source by selecting text file and load your vgsales dataset into Tableau.

Step 2: Create a Basic Visualization

• Create a New Worksheet:

a)Click on the Sheet tab at the bottom of the screen.

- Drag Fields to Shelves:
 - a) Drag Year to the Columns shelf.
 - b) Drag Global Sales to the Rows shelf.
 - c) Drag EU Sales to the Rows shelf.

That gives the line graph



2. Connect to Your Data Source:

a) Click on Connect on the left sidebar.



Dept. of CS & E (Data Science)

Step 3: Format the Chart

• Format Axes:

- a) Right-click on the Global Sales axis and select Format.
- b) In the Format pane, adjust the font style & size as needed.
 - Add Titles and Annotations:
 - a) Click on the chart title area and enter a descriptive title Global Sales by Year.
 - b) Add annotations if needed to highlight specific data points Right click the on the chart which you want to highlight - Select Annotate - Select Mark -Press Ok.



Step 4: Add Filters

Add a Filter for Year:Drag Year to the Filters shelf.Choose the range of years you want to display (e.g., 2000-2016).



Step 5: Create Calculated Fields

Create a Calculated Field for Sales Category:

- a) Right-click on Global Sales Select Create Calculated Field.
- b) Give name to your calculations as Global Sales EU Sales
- c) Do calculations as per your need [Global Sales] [EU Sales]
- d) Press Ok

Add Calculated Fields to Visualization:

a) Drag Global Sales-EU Sales to the Rows shelf to show Global Sales over Year with GlobalSales-EU Sales over Year.

Step 6: Create a Parameter:

Name: "Select Genre"

- Data Type: String
- Values: List (e.g., "Action", "Adventure", "Shooter") or Add values from Genre.
 Create a Calculated Field:
- Name: "Sales by Genre"
- Formula:
- IF [Genre] = [Select Genre] THEN [Global Sales] ELSE 0 END Build the Visualization:
- Columns: Drag "Year".
- Rows: Drag "Sales by Genre".
- At the right side of your sheet you can select required Genre and can see different Visualization
- Visualization by Genre: Fighting



Visualization by Genre: Puzzle



PROGRAM 4 : Dashboard Design and Storytelling – Components of Dashboard, Understanding how to place worksheets in Containers, Action filters and its types.

CREATING A STORY WITH TABLEAU PUBLIC

With Tableau public, you are able to organize your data in order to tell a meaningful story. This is beneficial when you are doing a presentation, creating an article, or uploading to a website, as it helps your audience understand your data.

Stories are created through assembling the different worksheets and dashboards. We can highlight important data points, add text box and pictures to help convey our story. However, there are many different ways to tell a story. For example, one technique is called "tailoring in" where the story starts with a big picture view and zooms in on a specific detail.

In contrast, a story can also be told by starting with a case and zooming out to that big picture view. We are going to return to our health expenditure worksheets to create a tailoring in story and illustrate the changes in Canada's spending in a meaningful way.

To begin, select "New Story" at the bottom right of your screen.

Drag "Sheet 1" and "Sheet 2" on to "Drag a sheet here". We can rename each story board by clicking "Add a caption". Rename Sheet 1 to "Provincial Health Expenditure in 2016".



Use the arrows located on the side of the caption field to navigate to Sheet 2. Click on "Add a caption" and rename Sheet 2 to "Provincial Health Expenditure from 1975-2018".



In this story, we are going to narrow in and draw attention to the province or territory that is spending the most amount of money on health. Drag an additional copy of "Sheet 1" and drop it between the two existing sheets. Select "Add a caption" and rename it to "Ontario".



On the map, click on the province Ontario and then navigate to the caption field and select "Update". Yourscreen will show Ontario highlighted from the rest of Canada.



Select the right arrow to navigate to "Provincial Health Expenditure from 1975-2018". Hover over the line representing Ontario and select the data point representing health expenditure during the year 2016. Then click "Update". Your screen should look like this:



We can add a textbox to label the highlighted pointed by dragging "Drag to add text" onto the line graph. Write a key message in the textbox, such as "Ontario had the highest health expenditure in Canada in 2016, spending \$87,195.70M". Select "OK".

ableau book	14	В				Insert •	
Ontario h	ad the hig	hest he	ealth ex	105 70	Jre in Ci	anada i	n
	2016,	spendi	ng \$87,	193.70	IVI		

You can the edit the text box by selecting "More options" which will open a drop-down menu. Expand the text box by dragging the borders in order to show the full message.



We have now created a story with three sheets of how Ontario had the highest health expenditure in the year 2016. If you choose to add a dashboard, it will allow your audience to play with data. You can navigate between the story as shown below.



SAVING AND PUBLISHING YOUR TABLEAU PUBLIC WORKBOOK

Once satisfied with your workbook, which includes sheets, dashboards, and stories, you can publish it to the Tableau Public website. This is the only way to save your work when using Tableau Public, so make sure to do it if you wish to return to the workbook in the future.

Once ready to publish, select the "Save to Tableau Public As..." option under the "File" tab.

CREATING A DASHBOARD WITH TABLEAU

Dashboards are a great way to combine your data visualizations and have them interact with one another. A lot of businesses use dashboards to keep up-to-date in real time about key performance indicators at a glance.

Dept. of CS & E (Data Science)

In this example, we will combine just two of our data visualizations, the map and the line graph from the first section of the tutorial, but in reality, it can be used to combine many visualizations at once.

The first step in creating your dashboard is to open up the Dashboard tab at the bottom of the screen:









Dept. of CS & E (Data Science)

This is your Dashboard Sheet. On the left side you can see that there is a list of the sheets you have made from your current data source.

To build your dashboard, drag the sheet you want in to the center where it says *Drop sheets here.* For our purposes, we will need to drag Sheet 1 and Sheet 2 where the map and line graph are saved. When you drag, you will notice an area of your screen will shade over where your graph will drop when you put it down. Organize your dashboard to look like the following:

Now to add titles to the graphs that were chosen, double click on the automatic titles generated based on the sheet name, and a new window should appear, type in a title that describes the graph like so:

We can also add additional titles and objects to the dashboard by choosing an object from the Objects side panel and dragging it to the dashboard. We are going to add titles to the bottom line graph to differentiate between the Canada line and the provinces. To do th A Text Text to the area near the orange line that corresponds to the sum of all province's expenditure throughout the years. Type in

"Canada". Dragonce more to label the remaining provinces. Your bottom graph should look like this:



Healthcare expenditure in Canada from 1975 to 2018

Now, to add an interactive layer between the graphs, we can choose a graph that can actas a filterto the other. We will choose the line graph to act as a filter to the map. To do this, click on the line graph and a grey sidebar should appear. From this bar, click the filter icon to use this graph as a filter:



Now, when you click a given line, it will be highlighted on the above map:


Congrats, now you have an interactive dashboard that is ready to be published or saved!

PROGRAM 5: Introducing Power BI -Components and the flow of work. Power BI Desktop Interface-The Report has five main areas.

Power BI includes the following components -

- **Power BI Desktop** This is used to create reports and data visualizations on the dataset.
- **Power BI Gateway** You can use Power BI on-premises gateway to keep your data fresh by connecting to your on-premises data sources without the need to move the data. It allows you to query large datasets and benefit from the existing investments.
- **Power BI Mobile Apps** Using Power BI mobile apps, you can stay connected to their data from anywhere. Power BI apps are available for Windows, iOS, and Android platform.
- **Power BI Service** This is a cloud service and is used to publish Power BI reports and data visualizations



Fig 1 : The Components of Power BI

FLOW OF WORK

- A typical Power BI workflow involves more than one type of content.
- A Power BI designer (yellow in the diagram) collects data from semantic models, brings it into Power BI Desktop for analysis, and creates reports full of visualizations that highlight interesting facts and insights.
- The designer pins visualizations from reports to dashboards, and shares the reports and dashboards with business users like you (black in the diagram).



Fig 2: Flow of work

- A visualization (or visual), is a type of chart built by Power BI designers. The visuals display the data from reports and semantic models. Because they're highly interactive, you can slice, filter, highlight, change, and even drill into visualizations.
- A semantic model is a container of data. For example, it might be an Excel file from the World Health Organization. It might also be a companyowned database of customers, or it might be a Salesforce file. And it might be all three if the designer combines them into a single model. Designers manage semantic models. The data contained in semantic models is used to build reports, dashboards, and apps that designers share with you.
- A dashboard is a single screen with tiles of interactive visuals, text, and graphics. A dashboard collects your most important metrics, or a focused set of metrics, on one screen, to tell a story or answer a question. The dashboard content comes from one or more reports and one or more semantic models.
- In A report is one or more pages of interactive visuals, text, and graphics that together make up a single report. Power BI bases a report on a single semantic model. Often, the designer organizes report pages to each address a central area of interest or answer a single question.
- An app is a way for designers to bundle and share related dashboards, reports, and semantic models together. Business users receive some apps automatically but can go search for other apps created by colleagues or by the community. For example, out-of- the-box apps are available for external services you may already use, like Google Analytics and Microsoft Dynamics CRM.

Power BI Desktop Interface-The Report has five main areas.

Downloading and Installing Power BI Desktop

Power BI Desktop is available in both 32-bit and 64-bit versions. To download the latest version, you can use the following link –

The Steps to be followed

1. Download from the link <u>https://www.microsoft.com/en-us/power-platform/products/power-bi/downloads</u>

2. Click on Products-→Power BI--→Desktop



3. Click on Advanced Download option

Maxii Get online pr For 1 perso	nize the every otection, secure cloud storage, and n For up to 6 people	day with N d innovative apps design	ficrosoft 3 (ned to fit your needs—all	65 in one plan.		-	
	Microsoft Power BI Deskto and modeling built-in. Crea	Micros op is built for the analyst. Ite and publish your repo	soft Power It combines state-of-the orts to Power BI. Power Bi anytime, anywh	BI Deskt art interactive visua Desktop helps you ere.	OD Ilizations, with industry- empower others with tin	leading data query nely critical insights,	
	Important! Selectin	g a language below	will dynamically cha	nge the complet	e page content to t	hat language.	

4. Select the Language as English and Click on download and choose PBIDEsktopSetup_x64.exe

File Name	Size
PBIDesktopSetup.exe	481.4 ME
PBIDesktopSetup_x64.exe	523.9 ME

Dept. of CS & E (Data Science)

5. Download Begins and you will get exe file which will be downloaded in your downloads folder



6. Double click on the .exe file to get the installation wizard

Microsoft Power BI Des	ktop (x64) Setup	×
	Welcome to the M Desktop (x64) Set	icrosoft Power BI up Wizard
-	Select Language:	
	English	~
_		
Microsoft		
	Back	Sext Cancel

- 7. Click on Next button until you get Finish button and finally installation will be done.
- 8. Once the Installation is done, double click on Power BI App.

The screen appears as below

Home		- B			-	e	
D Open		Blank report	OneLake data hub	Excel workbook	SQL Server	Learn with sample data	Get data fi other sour
	- ~ 1	Recommende	d				
		Getting started					
		In					
		0					
		Intro—What is Po	wer BI? 🖸				
		S Recent	5 Shared with me				
Sign in		🗋 Name		Location			

When you launch the application, Power BI Desktop will start with a blank report. Let's go over the components of the Power BI Desktop Interface

- **Ribbon** the top ribbon contains most of the controls and options needed for building the report.
- Views this is made up of the report view, the data view, and the model view.
- **Canvas** this is the main design area where visualizations and other elements are added.
- Page selector for navigation to other pages in the report.
- **Filters** fields can be added here to filter the data.
- **Visualizations** this contains the list of available visualizations.
- **Fields** this section contains the tables and fields that are available in the data model.

8 9°				Untitled -	Power BI Desktop		Sign	in 🔵 — 🗆 X
File Home In	nsert Modelin Get Excel data - workbook	g View H Power BI SQL Ent datasets Server dat	elp Dataverse Recer te source	t Farsform R deta -	New Text	More Visuals+	Secolity Palitan	
UEWS	Cr	Adid data to ce loaded, your data wi ce martala kantak kantak saw	Pyour report access in the Fields part	l ne CL	FILTERS	Filters Filters Filters Filters on this page Add data fields here Filters on all pages	Visualizations >> Duid visual >> E E	Fields »
	VIEWS	Oct data from a					Values Add dats fields here Drill through Cross-report Keep all fitters Add attil-through fields here	

The Major Components of Power BI Desktop Interface are

Power Query Editor

It is the process of cleansing and transforming data and permits users to access datasets connecting from multiple sources. It is included on the Power BI desktop. Business users may view the data from distinct databases like MySQL, SQL servers, DB2, and many more.

Power View

It is a data visualization tool that assists users in developing stunning charts, and colorful maps, that turn data into a story.

Power Map

It is a 3D map visualization tool to identify geospatial data on Map visuals. It helps organizations to examine the maximum sales production geographically, visualizing the demographic populations of specific regions.

Power Pivot

It is a Data Modelling technique that is used to create relationships between datasets. It performs complex computations by utilizing DAX functions.

Power Q & A

When dealing with giant datasets, it becomes crucial to get to know the in-depth details of the data. Luckily, it is done through natural language where users may ask questions and obtain the answer through Power Q & A.

Build reports :

In Power BI Desktop Report view, you can build visualizations and reports. The Report view has six main areas:



- 1. The ribbon at the top, which displays common tasks associated with reports and visualizations.
- 2. The canvas area in the middle, where you create and arrange visualizations.
- 3. The pages tab area at the bottom, which lets you select or add report pages.
- 4. The Filters pane, where you can filter data visualizations.
- 5. The Visualizations pane, where you can add, change, or customize visualizations, and apply drill through.
- 6. The Format pane, where you design the report and visualizations.
- 7. The Fields pane, which shows the available fields in your queries. You can drag these fields onto the canvas, the Filters pane, or the Visualizations pane to create or modify visualizations.

PROGRAM 6 : Querying Data from CSV - Query Editor Connecting the data from the Excel Source, Clean, Transform the data

Power BI Desktop also includes the Power Query Editor, which opens in a separate window. In Power Query Editor, you can build queries and transform data, then load the refined data model into Power BI Desktop to create reports.

で で の の の の	Untitled - Power BI Deskto	ор	ې ج	n in 🔵 🗕 🗆 🗙
File Home Insert Modeling	View Help Transform data ~ Refresth Queries	New Text b More	visual III New measure box III Quick measure visuals ~ ert Calculations	Sensitivity (preview) ~ Sensitivity Share ~
	✓ Filters ✓ Search	<u></u>	Visualizations >	Fields > P Search
· 4書	Filters on this page Add data fields h	iere		You haven't loaded any data yet. Get data
	Filters on all pages Add data fields h	here	Values Add data fields here	
			Drill through Cross-report Off O— Keep all filters	
Page 1 of 1			On ——● Add drill-through fields here	

Along the left side of Power BI Desktop are icons for the three Power BI Desktop views:

Report, Data, and Model, from top to bottom. The current view is indicated by the yellow bar along the left, and you can change views by selecting any of the icons.

Report view is the default view.

	しつ
File	e Home
Ê	Cut
Paste	Sormat painter
	Clipboard
<u>loo0</u>	
III	
唱	

With Power BI Desktop installed, we can connect to the world of data. To see the many types of data sources available,

Home						-
D Open	Blank report	OneLake data hub	Excel workbook	SQL Server	Learn with sample data	Get data f
<u></u>	✓ Recommen	ded				
	Getting starte	d				
	In					
	ĺ	0				
	Intro—What i	s Power BI? 🖾				
	C Recent	88 Shared with me				
in	🗋 Name		Location			

Once Power BI screen is seen click on blank Report

After clicking on blank Report the below screen appears .

NOW TO GET DATA FROM DIFFERENT SOURCES ------ The steps

Step 1: Select **Get Data** in the Power BI Desktop Home tab, and in the Get Data window, scroll through the list of All data sources. (like Excel, CSV, Oracle....)

On the Power BI Desktop Home tab, select Get Data > Excel workbook

Clipboard	datav workbook data hubv Server	data so	urces 🕶 data 🖌 Queries	visual box visuals+ me Insert	asure measure v Calculations Sensitivity	Share Copilot			
Auto recover	y co Excel workbook Power BI semantic models Dataflows Dataflows Dataverse SQL Server Analysis Services Text/CSV	t been opened:	Add data t	o your report vill appear in the Data g	pane.		View recovered files	× ⊽ Filters	
	Web CoData feed CoData feed CoData fuery	K.	8	Ĝ	Q				Py E - ● □
	Power BI Template Apps	t data from Excel	Import data from SQL Server	Paste data into a blank table	Use sample data				Values
	More		Get data from	another source →					Add data fields here Drill through Cross-report or Keep all filters of Add drill-through fields he

← → ~ ↑ ▲ > Downloads Organize · New folder Image: Constraint of the sem of the se	Open					×
Organize * New folder Image: Construct of the second sec	$\leftarrow \rightarrow \lor \uparrow$	× <u>↓</u> >	Downloads	~ C	Search Downloads	Q
Name Date modified Type Size ✓ Today ✓ Today ✓ Today ✓ Yesterday ✓ Yesterday ✓ Yesterday ✓ Yesterday ✓ Yesterday ✓ Today ✓ Today ✓ Yesterday ✓ Yesterday ✓ Yesterday ✓ Today ✓ Yesterday ✓ Yesterday </td <td>Organize • Ne</td> <td>w folder</td> <td></td> <td></td> <td>≣ . [</td> <td>1 0</td>	Organize • Ne	w folder			≣ . [1 0
Image: Desktop ✓ Today Image: Desktop ✓ SalesForCourse_quizz_table.xlsx 9/3/2024 11:35 AM Microsoft Excel W 2,7 Image: Downloads ✓ ✓ Yesterday ✓ ✓ ✓ ✓ ✓ Yesterday ✓	R Gallery		Name	Date modified	Туре	Size
□ Desktop Image: SalesForCourse_quizz_table.xlsx 9/3/2024 11:35 AM Microsoft Excel W 2, ✓ Downloads Image: Adidas US Sales Datasets.xlsx 9/2/2024 10:43 PM Microsoft Excel W 2, Image: Documents Image: Adidas US Sales Datasets.xlsx 9/2/2024 10:43 PM Microsoft Excel W 4 Image: Documents Image: Sth sem Namelist.xlsx 9/2/2024 11:23 AM Microsoft Excel W 4 Image: Pictures Image: VTU-FACULTY-ID.xlsx 9/2/2024 10:50 AM Microsoft Excel W 4 Image: OPEN ELECTIVE (Responses) (3).xlsx 9/2/2024 9:36 AM Microsoft Excel W 4 Image: Videos Image: The sem_OE.xlsx 9/2/2024 9:35 AM Microsoft Excel W 4		- 1 ~	Today			
✓ Vesterday ✓ Downloads ☑ Documents ☑ Documents ☑ Pictures ☑ VTU-FACULTY-ID.xlsx ☑ Videos ☑ 7th sem_OE.xlsx ☑ Videos	Desktop	*	SalesForCourse_quizz_table.xlsx	9/3/2024 11:35 AM	Microsoft Excel W	2,7
			Yesterday			
Image: Documents Image: Sth sem Namelist.xlsx 9/2/2024 11:23 AM Microsoft Excel W Image: Pictures Image: WTU-FACULTY-ID.xlsx 9/2/2024 10:50 AM Microsoft Excel W Image: Music Image: OPEN ELECTIVE (Responses) (3).xlsx 9/2/2024 9:36 AM Microsoft Excel W Image: Videos Image: The sem_OE.xlsx 9/2/2024 9:35 AM Microsoft Excel W		*	Adidas US Sales Datasets.xlsx	9/2/2024 10:43 PM	Microsoft Excel W	6
Pictures Image: VTU-FACULTY-ID.xlsx 9/2/2024 10:50 AM Microsoft Excel W Image: Wusic Image: OPEN ELECTIVE (Responses) (3).xlsx 9/2/2024 9:36 AM Microsoft Excel W Image: Videos Image: The sem_OE.xlsx 9/2/2024 9:35 AM Microsoft Excel W	Documents	*	5th sem Namelist.xlsx	9/2/2024 11:23 AM	Microsoft Excel W	
Music Image: OPEN ELECTIVE (Responses) (3).xlsx 9/2/2024 9:36 AM Microsoft Excel W Image: Videos Image: Th sem_OE.xlsx 9/2/2024 9:35 AM Microsoft Excel W	R Pictures	*	VTU-FACULTY-ID.xlsx	9/2/2024 10:50 AM	Microsoft Excel W	
Videos	🕐 Music	*	OPEN ELECTIVE (Responses) (3).xlsx	9/2/2024 9:36 AM	Microsoft Excel W	
	Videos	*	7th sem_OE.xlsx	9/2/2024 9:35 AM	Microsoft Excel W	
			~			
File name: SalesForCourse_quizz_table.xlsx V Excel Files (*.xl;*.xlsx;*.xlsm;*.xlst; V	ł	File name:	SalesForCourse_quizz_table.xlsx	~	Excel Files (*.xl;*.xlsx;*.xlsm;	*.xist ∨
Open 🔽 Cancel			27.		Open 🔻 Car	ncel

Click on the file you need and open the file , once you open the file below window with navigator appears ,select the file (2^{nd} option to see the contents of the file)

	(43)	
splay Options + splay Options + 	R	
		No items selected for preview

1.At this point you can select Load to load the table, or Transform data to make changes in the table before you load it.

2. When you select Transform data, Power Query Editor launches, with a representative view of the table. The Query Settings pane is on the right, or you can always show it by selecting Query Settings on the View tab of Power Query Editor.

A constraints of the second sec	er a 1 2 3	Data Sources Parameters + Data Sources R [®] Column1 •	Advanced Editor Refresh Preview * III Manage * Query A ^B _C Column2	Choose Remove Columns - Columns - F Manage Columns	Educe course Sort Sort Sort	Data Type: Text + Use First Row as Headen ¹ y 2 Replace Values Transform	S Combine A Alarytics Combine A Azure Machine Learning Al Insights Ouery Settings
Ranking of best and wor	1 2 3	A ^B C Column1 -	A ^B C Column2	A ^B C Column3	× A ^B , Column4	AB ColumnE	Ouery Settings
Ranking of best and wor 1	1 2 3	State	Management and the second s			A C COMMINS	
2	2		Overall rank	Affordability	Crime	Culture	▲ PROPERTIES
1	3	Source: Bankrate's 2019 "Bes	Source: Bankrate's 2019 "Bes	Source: Bankrate's 2019 "Bes	Source: Bankrate's 2019 "Bes	Source: Bankrate's 20:	Name
	1	Nebraska	1	14	19	21	Ranking of best and worst states for reti
	4	lowa	2	8	15	20	All Properties
5	5	Missouri	3	1	42	33	
	6	South Dakota	4	17	23	12	APPLIED STEPS
1	7	Florida	5	25	29	13	Source 🕴
8	8	Kentucky	6	9	9	46	Extracted Table From Html
ç	9	Kansas	7	7	39	37	X Changed Type
1	10	North Carolina	7	13	28	28	
1	11	Montana	9	16	31	2	
1	12	Hawaii	10	45	24	9	
1	13	Arkansas	11	4	45	39	
1	14	Wisconsin	12	20	15	17	
1	15	North Dakota	13	22	17	26	

Transforming the data: Once connected to a data source, you can adjust the data to meet your needs.

To transform the data, you provide Power Query Editor with step-by-step instructions for adjusting the data while loading and presenting it. Transforming doesn't affect the original data source, only this particular view of the data. Transforming the data, includes **renaming columns or tables, removing rows or columns, or changing data types.**

Power Query Editor captures these steps sequentially under Applied Steps in the Query Settings pane.

Notice that the Applied Steps in Query Settings already contain a few steps. You can select each step to see its effect in the Power Query Editor

To Change a data type

- Select the column or columns to change.
- Hold down the Shift key to select several adjacent columns, or Ctrl to select non- adjacent columns.
- Either right-click a column header, select Change Type,
- choose a new data type from the menu, or drop down the list next to Data Type in the Transform group of the Home tab,
- select a new data type.

File	Home	Transfo	rm	Add Column	View	81	ools Help							
■↑ ose & oply •	New Source +	Recent Sources +	Enter Data	Data source settings Data Sourc	Mana Parame Param	ige ters ∓	Refresh Preview + Manage + Query	Man Colui	-∥ nage mns ∓	Reduce Rows → Sort	Split Gr Column •	Dat Oup By 1	a Type: Text 🔻 Decimal Number Fixed decimal number Whole Number	omt
)ueries	5 [1]	<		AB, Column1			AB- Column2 - AB	Colu	mn3		AB Column	Que	Percentage	
		1.00.0000		Canada Cana	-		Сору	-1010	-		Crima		Date/Time	
Kani	ang of bes	st and w		Source: Rankrate	×= 2010 +	Laj	Barrana		icy notices	o'r 2010 "Por	Source: E	- FF	Date	
			2	Nebraska	. 3 2013	~	Remove Other Columns		a like of	(C 5 2015 DC3	19	R	Time	ret
			4	lowa			Duplicate Column		-		15		Date/Time/Timezone	
			5	Missouri		=5	Add Column From Exampler				42	Alt	Duration	
			6	South Dakota		H34	Add column roll examples				23	⊿ AF	Text	
			7	Florida			Remove Duplicates				29		True/False	
			8	Kentucky			Remove Errors				9		Binary	
			9	Kansas			Change Type	÷		Decimal Nun	nber	X	Changed Type	
			10	North Carolina			Transform	Þ	1	Fixed decima	Inumber			
			11	Montana		1	Replace Values			Whole Numb	er			
			12	Hawaii		72	Replace Errors			Percentage				
			13	Arkansas		-	c n c i			Date/Time				
			14	Wisconsin		riin:	Split Column	×		Date Date				
			15	North Dakota		-2-	Group By			Time				
			16	Vermont			Fill	E.		Data/Time/Ti	mozono			
			17	New Hampshire			Unpivot Columns			Duration	mezone			
			18	Alabama			Unpivot Other Columns		1.00	Duration		_		
			19	Texas			Unpivot Only Selected Columns		\checkmark	Text				
			20	Idaho		١	Rename			True/False				
			21	Mississippi			Move	F		Binary				
			22	Wyoming			Drill Down							
			23	Oklahoma			Add as New Ouerv		-	Using Locale				
			24	Tennessee		_			1		46			

To Reduce/Delete the Rows

- From the Home tab select
- Reduce Rows > Remove Rows > Remove Bottom Rows.
- In the Remove Bottom Rows dialog box, enter 10, and then select OK.

File	Home	Transfo	Irm	Add Column	View T	ools Helj	5							
Close & Apply • Close	New Source •	Recent Sources +	Enter Data	Data source settings Data Sourc	Manage Parameters + Parameters	Refresh Preview +	h Properties Properties Advanced Editor Manage ▼ Query	Manage Columns +	Reduce Rows *	2↓ Z↓ Sort	r∭h Split Column ▼	Group By Jack Typ Data Typ Use Ly Jack Transfe	oe: Whole Number + First Row as Headers + lace Values orm	Com
Queries	s [1]	<		A ^B C State	×	1 ² 3 Overall ra	ank 💌 1 ²	3 Affordabilit	Ħ		Crime	Query Set	tings	
🛄 Rani	king of be	st and w	1	Hawaii			10		Keep Rows T	Remo	ve	▲ PROPER	TIES	
			2	Florida			5		Reduc	-	Remove To	n Rows		
			3	Louisiana			36			HH	Remove Bo	ttom Rows	best and worst states	for re
			4	Texas			17			100×	Damove At	ternate Powe	es	
			5	Georgia			28			H.H	Demons D	unit sectors		
			6	Mississippi			19			8-8	Remove Di	uplicates	TEPS	
			7	Alabama			16			1×	Remove Bl	ank Rows		
									X	X	Remove Er	rors	ed Table From Html	
move	Botto	om Ro)W/S							4		Char	nged Type	
nove	Dotte									33		Pror	noted Headers	
ify how m	any rows	to remove	e from	the bottom.						11		Char	nged Type1	
per of rours	2									13	_	Rem	loved Top Rows	
ber or roms	4.			1						49		Chai	nged Type2	
				1						12		~ 30R	ed nows	

The bottom 10 worst rows are removed from the table, and the step Removed Bottom Rows appears in Applied Steps.

To Remove columns

- From Home Tab Select Manage Columns group □select Remove Columns. You can also right-click one of the selected column headers and select Remove Columns from the menu.
- The selected columns are removed, and the step Removed Columns appears in Applied Steps.

lė	н	ome Transform Add Colum	n View Tools	Help					\sim
Par Par	Manage rameter: irameter	Refresh Properties Advanced Editor Preview + I Manage + rs Query	Manage Columns + Reduce Sort	Split Column - By Split Column - By Split By Split Sroup Split Sroup Split Sroup Split Split Sroup Split Spl	le Numbe w as Hea Jes	er * ders * Combi	Text Analytic Text Analytic O Vision Azure Mach Al Insig	cs ine Le ghts	arni
		1 ² 3 Affordability - 1 ² 3 C	ri 🔲 😾 🛔	Culture 123 W	eather	-	23 Wellness		-
	1	45	Choose Remove	9	E	Сору			1
	2	25	Managa U	13	1. D.	Remove Colu	mns		3
	3	29	Manage X Remove	48	~	Remove Othe	r Columns		2
	4	24	T Remove	50 Sther Columns	E.	Add Column	From Examples		1
	5	19	35	45	c.a	ridd Column	nom Etomptesiir		4
	6	6	24	49		Remove Dupl	icates		4
	7	10	44	44		Remove Error	5		10
	8	27	45	22	1 ⇒2	Replace Value	S		11
	9	4	46	39		Fill		Þ	0.6
	10	33	43	39		Change Type		۲	2
	11	11	41	43		Transform			3
	12	13	28	28		Merrie Colum	inc		3
	13	49	34	17		Werge Colum	1115		1
	14	12	46	34		Developert			3
	15	9	9	46		Product			2
	16	30	36	9	2	Group By			4
	17	32	6	36		Unpivot Colu	mns		4
	18	47	33	42		Unpivot Othe	r Columns		3
	19	1	42	33		Unpivot Only	Selected Columns		2
	20	7	39	37		Move			2
	21	26	49	38		24			2
	22	48	5	16		22			2
	23	40	26	32		23			4
	24	18	18	27		24			3
	25	<							>

Applied steps in the Query setting pane

Right-click any step in the Applied Steps pane and choose to delete it, rename it, move it up or down in the sequence, or add or delete steps after it.

For intermediate steps, Power BI Desktop will warn you if the change could affect later steps and break your query.

Once all the required transformations are done the report should be created in the Power BI Desktop

- Apply the changes in Power Query Editor and load them into Power BI Desktop
- Selecting Close & Apply from the Home tab of the ribbon.
- You can also select just Apply to keep the query open in Power

Query Editor while you work in Power BI Desktop.



To reopen Power Query Editor from Power BI Desktop

Select **Transform Data** on **the Home tab** of the Power BI Desktop ribbon. You can expand and collapse the **Filters**, **Visualizations**, and **Fields** panes by selecting the arrows at the tops of the panes. Collapsing the panes provides more space on the canvas to build cool visualizations.



The Visualizations pane shows information about the visualization

- 1. The Fields option in the Visualization pane lets you drag data fields to Legend and other field wells in the pane.
- 2. The Format option lets you apply formatting and other controls to visualizations.
- 3. The icons show the type of visualization created. You can change the type of a selected visualization by selecting a different icon, or create a new visualization by selecting an icon with no existing visualization selected
- 4. The options available in the Fields and Format areas depend on the type of visualization and data you have.
- 5. You want your map visualization to show only the top 10 weather states.

To show only the top 10 states, in the Filters pane, hover over State is (All) and expand the arrow that appears. Under Filter type, drop down and select Top N. Under Show items, select Bottom, because you want to show the items with the lowest numerical ranks, and enter *10* in the next field

/isualizations >> Build visual -D> SUIR Landa C LEEL III buff LEIG < Ice-FIL ~ Lef In E FE 22 0. 1====1 E57 --L--------5 2 SP --->>> -30 cation State Legend Add data fields here atitude Add data fields here Longitude Add data fields here Bubble size Add data fields here Tooltips Add data fields here

PROGRAM 7: Creating Reports & Visualizations - Different types of charts, Formatting charts with Title, Colors

17 Most Common Charts available in Power BI:

- Bar Chart
- Line Chart
- Scatterplot
- Sparkline
- Pie Chart
- Gauge
- Waterfall Chart
- Funnel Chart
- Heat Map / Matrix
- Histogram
- Box Plot
- Maps
- 1 Tables
- Indicators
- Area Chart
- Radar or Spider Chart
- Tree Map
- Open Power BI Desktop
- Click on **Get data** in ribbon pane
- Click on Excel worksheet option



- Choose specific dataset and open it. Example: HR Data.csv
- Click on **Transform Data** button

Copy Get Excel OneLake data v workbook data hub v	HR Dat	a.xlsx - HR	data.csv	/							×		
Clipboard	File Origin		1	Delimiter		Data 1	Type Detecti	on					
	1252: Wes	tern European (Win	dows) +	Comma			ed on first 20	10 rows	20	12	4	Visualization	s X
	Column1	Column2	Column3	Column4	Column5	Column6	Column7	Column8	Column9	Colu		A Build visual	
	Attrition	Business Travel	CF_age band	CF_attrition label	Department	Education Field	emp no	Employee Number	Gender	Job Role	2		
	Yes	Travel_Barely	35 - 44	Ex-Employees	Sales	Life Sciences	STAFF-1	1	Female	Sales Exect	ĩ	f 🛲 L	
	No	Travel_Frequently	45 - 54	Current Employees	R&D	Life Sciences	STAFF-2	2	Male	Research S	Ū.		200 000
	Yes	Travel_Rarely	35 - 44	Ex-Employees	R&D	Other	STAFF-4	4	Male	Laboratory		EMEL	л 🖾 🔟
	No	Travel_Frequently	25 - 34	Current Employees	R&D	Life Sciences	STAFF-5	5	Female	Research S		1× 00 1× 1	alah lah
	No	Travel_Rarely	25 - 34	Current Employees	R&D	Medical	STAFF-7	7.	Male	Laboratory			· 0 0
	No	Travel_Frequently	25-34	Current Employees	R&D	Life Sciences	STAFF-8	8	Male	Laboratory			
	No	Travel_Rarely	Over 55	Current Employees	R&D	Medical	STAFF-10	10	Female	Laboratory			A 🙈 🖾
	No	Travel_Rarely	25 - 34	Current Employees	R&D	Life Sciences	STAFF-11	11	Male	Laboratory			🗐 📰 R
	No	Travel_Frequently	35 - 44	Current Employees	R&D	Life Sciences	STAFF-12	12	Male	Manufactu		Pv = all	D B C
	No	Travel_Rarely	35 - 44	Current Employees	R&D	Medical	STAFF-13	13	Male	Healthcare			
	No	Travel_Rarely	35 - 44	Current Employees	R&D	Medical	STAFF-14	14	Male	Laboratory			
	No	Travel_Rarely	25 - 34	Current Employees	R&D	Life Sciences	STAFF-15	15	Female	Laboratory			
	Να	Travel_Rarely	25 - 34	Current Employees	R&D	Life Sciences	STAFF-16	16	Male	Research S			
	No	Travel_Rarely	25 - 34	Current Employees	R&D	Medical	STAFF-18	18	Male	Laboratory		Values	
	Yes	Travel_Rarely	25-34	Ex-Employees	R&D	Life Sciences	STAFF-19	19	Male	Laboratory		Add data fields h	here
	No	Travel_Rarely	25 - 34	Current Employees	R&D	Life Sciences	STAFF-20	20	Female	Manufactu		Doll through	
	No	Travel_Rarely	25 - 34	Current Employees	R&D	Life Sciences	STAFF-21	21	Male	Research S		Dim anough	
	No	Non-Travel	Under 25	Current Employees	R&D	Medical	STAFF-22	22	Male	Laboratory		Cross-report	(<u>• on</u>)
	No	Travel_Rarely	45 - 54	Current Employees	Sales	Life Sciences	STAFF-23	23	Female	Manager 🗸		Keep all filters	010
	<									>		Add drill-through	1 fields here
	Extract T	able Using Examp	oles					.oad Trans	form Data	Cancel	N .		

• **Power Query Editor** window will open.

Close & New Recent Enter Source * Sources * Data	Data source Parameters	Properties Properties Advanced Editor Refresh Preview * Manage * Query	Choose Remove Columns * Columns * Rows * Rows * Manage Columns	Al Split Group Column & By	Data Type: Text * Use First Row as Headers * ¹ ₄₋₂ Replace Values Transform	Merge Queries * Append Queries * Combine Files Combine	Text Analytics Vision A zure Machine Learning Al Insights		
Queries [1] K	🗙 🗸 fr - Tabl	e.TransformColumnTypes(S	<pre>source,{{"Column1", type text</pre>	}, {"Column2", type	text}, {"Column3", type	text}, {"Column4",	type text},	Query Settings	×
🔲 HR Data xisx - HR data	A ⁸ c Column1	→ A ^B _C Column2	* A ⁸ C Column3	A ⁸ c Column4	* A ⁸ c Column5	▼ A ⁸ _C Column6	ABC Column7	# PROPERTIES	
	1 Attrition	Business Travel	CF_age band	CF_attrition label	Department	Education Field	emp no	Name	
	2 Yes	Travel_Rarely	35 - 44	Ex-Employees	Sales	Life Sciences	STAFF-1	HR Data xisx - HR data	
	3 No	Travel_Frequently	45 - 54	Current Employees	R&D	Life Sciences	STAFF-2	All Properties	
	4 Yes	Travel_Rarely	35 - 44	Ex-Employees	R&D	Other	STAFF-4		
	5 No	Travel_Frequently	25 - 34	Current Employees	R&D	Life Sciences	STAFF-S	* APPLIED STEPS	
	6 No	Travel_Rarely	25 - 34	Current Employees	R&D	Medical	STAFF-7	Source	0
	7 No	Travel_Frequently	25 - 34	Current Employees	R&D	Life Sciences	STAFF-8	X Changed Type	
	8 No	Travel_Rarely	Over 55	Current Employees	R&D	Medical	STAFF-10		
	9 No	Travel_Rarely	25 - 34	Current Employees	R&D	Life Sciences	STAFF-11		
	10 No	Travel_Frequently	35 - 44	Current Employees	8&D	Life Sciences	STAFF-12		
	11 No	Travel_Rarely	35 - 44	Current Employees	R&D	Medical	STAFF-13		
	12 No	Travel_Rarely	35 - 44	Current Employees	R&D	Medical	STAFF-14		
	13 No	Travel_Rarely	25 - 34	Current Employees	R&D	Life Sciences	STAFF-15		
	14 No	Travel_Rarely	25 - 34	Current Employees	R&D	Life Sciences	STAFF-16		
	15 No	Travel_Rarely	25 - 34	Current Employees	R&D	Medical	STAFF-18		
	16 Yes	Travel_Rarely	25 - 34	Ex-Employees	8&D	Life Sciences	STAFF-19		
	17 No	Travel_Rarely	25 - 34	Current Employees	R&D	Life Sciences	STAFF-20		
	18 No	Travel_Rarely	25 - 34	Current Employees	R&D	Life Sciences	STAFF-21		
	19 No	Non-Travel	Under 25	Current Employees	R&D	Medical	STAFF-22		
	20 No	Travel_Rarely	45 - 54	Current Employees	Sales	Life Sciences	STAFF-23		
	21 No	Travel_Rarely	35 - 44	Current Employees	R&D	Life Sciences	STAFF-24		
	22 No	Non-Travel	Under 25	Current Employees	R&D	Other	STAFF-26		
	23 Yes	Travel_Rarely	35 - 44	Ex-Employees	Sales	Life Sciences	STAFF-27		
	24 No	Travel_Rarely	25 - 34	Current Employees	R&D	Life Sciences	STAFF-28		
	25 No	Travel_Rarely	Under 25	Current Employees	R&D	Life Sciences	STAFF-30		
	26 Yes	Travel_Rarely	25 - 34	Ex-Employees	R&D	Medical	STAFF-31		
	27 No	Travel Barely	45 - 54	Current Employees	8&D	Other	STAFF-32		

- We have to perform some transformation on this table
- Select row 1 and click on Use first row as header

Image: File Home Transform	ery Editor Add Column View	Tools Help							(577))	
Close & New Recent Enter Apply* Source * Sources * Data Close New Query	Data source settings Data Sources Parameters *	Em Properties Refresh Preview ← Ⅲ Manage ← Query	Choose Remove Columns * Columns * Remove Manage Columns * Redu	Remove Rows vice Rows Sort	Data Type: Any * Use First Row as Headers * Use First Row as Headers * Transform	Append Queries • 4 Combine Files Combine	Text Analytics Vision Azure Machine Learning Al Insights			
Queries [1]	× √ f _x = Tat	ole.TransformColumnTypes	(Source,{{"Column1", ty	<pre>pe text}, {"Column2", type</pre>	Use First Row as Headers	, {"Column4", 1	type text}, •	Query Settings		×
🔲 HR Data xlsx - HR data		▼ A ^B C Column2	▼ A ^B C Column3	▼ A ^B _C Column4	Promote the first row of this tab into column headers.	A ^B C Column6	▼ A ^B _C Column7	A PROPERTIES		
	1 Attrition	Business Travel	CF_age band	CF_attrition label	Department	Education Field	emp no	Name		
	2 Yes	Travel_Rarely	35 - 44	Ex-Employees	Sales	Life Sciences	STAFF-1	HR Data xisx - HR d	iata	
	3 No	Travel_Frequently	45 - 54	Current Employees	R&D	Life Sciences	STAFF-2	All Properties		
	4 Yes	Travel_Rarely	35 - 44	Ex-Employees	R&D	Other	STAFF-4			
	5 No	Travel_Frequently	25 - 34	Current Employees	R&D	Life Sciences	STAFF-5	APPLIED STEPS		
	6 No	Travel_Rarely	25 - 34	Current Employees	R&D	Medical	STAFF-7	Source		Ŷ
	7 No	Travel_Frequently	25 - 34	Current Employees	R&D	Life Sciences	STAFF-8	× Changed Type		
	8 No	Travel_Rarely	Over 55	Current Employees	R&D	Medical	STAFF-10			
	9 No	Travel_Rarely	25 - 34	Current Employees	R&D	Life Sciences	STAFF-11			
	10 No	Travel_Frequently	35 - 44	Current Employees	R&D	Life Sciences	STAFF-12	1		
	11 No	Travel_Rarely	35 - 44	Current Employees	R&D	Medical	STAFF-13			
	12 No	Travel_Rarely	35 - 44	Current Employees	R&D	Medical	STAFF-14			
	13 No	Travel_Rarely	25 - 34	Current Employees	R&D	Life Sciences	STAFF-15			
	14 No	Travel_Rarely	25 - 34	Current Employees	R&D	Life Sciences	STAFF-16			
	15 No	Travel_Rarely	25 - 34	Current Employees	R&D	Medical	STAFF-18			
	16 Yes	Travel_Rarely	25 - 34	Ex-Employees	R&D	Life Sciences	STAFF-19			
	17 No	Travel_Rarely	25 - 34	Current Employees	R&D	Life Sciences	STAFF-20			
	18 No	Travel_Rarely	25 - 34	Current Employees	R&D	Life Sciences	STAFF-21			
	19 No	Non-Travel	Under 25	Current Employees	R&D	Medical	STAFF-22			
	20 No	Travel_Rarely	45 - 54	Current Employees	Sales	Life Sciences	STAFF-23			
	21 No	Travel_Rarely	35 - 44	Current Employees	R&D	Life Sciences	STAFF-24	~		
	22 . <	here as a	11 1.122	a ca s	1040	han -	~~~>			
	Column1 Attrition							•		
	Column2 Business Travel									
	Column3 CF_age band									
	Column4 CF_attrition label									
	Column5 Department							•		

• Then, we have to create new column for **attrition count.** For this, select attrition column

□ click on **Add Column** new window will open then add details as follows. Once you are done with this, <u>attrition count column</u> will be added as a last row of the table

• Change the datatype of this column to whole number

	in you commit in	en ious nep								1946
El El To	Conditional Column	ABC ABC ABC Extract	damns XO Statistics	10 ² An Trigonom	- Data Time Durat					
Examples " Column Function	n Duplicate Column	Parse -	Junit View	Informati	10 * Joans Hint Cord	Analytics Learning				
Gene	al	From Text		From Number	From Date & Time	Al Insights				
Queries [1]	< × < /2	= Table.Transfor	mColumnTypes("Promoted Headers",{{	<pre>ittrition", type text);</pre>	{"Business Travel", type	e text}, {"CF_age band", :	ype text}, 🗸 🗸	Query Settings	×
🗂 HR Data xisx - HR data	A ⁸ c Attrition	✓ A ^B _C But	siness Travel	* A ^B C CF_age band	A ^B C CF_attrition labe	d 💌 A ⁸ C Department	* A ⁸ C Education Field	A ⁸ c emp no	PROPERTIES	
	1 Yes							×	Name	
	2 No	Add Cond	ditional Co	olumn					HR Data xisx - HR data	
	3 Yes								All Properties	
	-4 No	Add a conditio	nal column that	t is computed from the oth	er columns or values.				A APPLIED STEPS	
	5 No	New column na	me						Course	
	6 No	Attrition Count							Channed Type	196
	7 No	1						1.	Promoterl Headers	
	B No	Colum	n Name	Operator	Value 🕕	Output	0		× Changed Type1	0.20
	9 No	if Attrit	ion -	equals -	ABC + Yes	Then 123 *	Ť			
	10 No	1								
	11 NO	Add Claure						-		
	12 NO	Aud clause						-		
	1.5 NO									
	15 Var	Else ()								
	16 No.	123 * 0								
	17 No							-		
	18 No	1					ок	Cancel		
	19 No									
	20 No	Travel	Rarely	35 - 44	Current Employees	R&D	Life Sciences	STAFF-24		
	1.00	Non-Tr	svel	Under 25	Current Employees	R&D	Other	STAFF-26		
	21 NO		Rarely	35 - 44	Ex-Employees	Sales	Life Sciences	STAFF-27		
	21 No 22 Yes	Travel	(internet)				Life Sciencer	CTAFF 30		
	21 No 22 Yes 23 No	Travel_ Travel_	Rarely	25 - 34	Current Employees	R&D	Line sciences	51AFT-26		
	21 No 22 Yes 23 No 24 No	Travel_ Travel_ Travel_	Rarely Rarely	25 - 34 Under 25	Current Employees Current Employees	R&D	Life Sciences	STAFF-30		
	21 No 22 Yes 23 No 24 No 25 Yes	Travel_ Travel_ Travel_ Travel_	Rarely Rarely Rarely	25 - 34 Under 25 25 - 34	Current Employees Current Employees Ex-Employees	R&D R&D R&D	Life Sciences Medical	STAFF-30 STAFF-31		
	21 No 22 Yes 23 No 24 No 25 Yes 26 No	Travel_ Travel_ Travel_ Travel_ Travel_	Rarely Rarely Rarely Rarely	25 - 34 Under 25 25 - 34 45 - 54	Current Employees Current Employees Ex-Employees Current Employees	R&D R&D R&D R&D	Life Sciences Medical Other	STAFF-30 STAFF-31 STAFF-32		

• Click on **Close & Apply**.

	J kal ∓ Untitled - Power File Home Transfor	Query Editor m Add Column Vie	w Tools Help					-	٥
lick on			C C Properties		친 Data Type: Whole Number *	Merge Queries • 📃	Text Analytics Vision		
Close &	Cose & New Recent Er Apply * Source * Sources * D	nter Data source Man ata settings Parami	age Refresh eters * Preview * 🖽 Manage *	Choose Remove Keep Remove Columns * Columns * Rows * Rows *	Split Group 1 Column * By 92 Replace Values	Combine Files	Azure Machine Learning		
	lose New Query	Data Sources Param	eters Query	Manage Columns Reduce Rows	Sort Transform	Combine	Al insights		
opply"	Close & Apply	£ √ £	 Table.TransformColumnTypes 	(#"Promoted Headers",{{"Age", In	t64.Type}, {"Attrition", type text}, {"Bus	inessTravel", type te	xt}, v	Query Settings	
	apply any pending changes.	12 123 Age	▼ A ⁸ _C Attrition	▼ A ^B _C BusinessTravel ▼ 1	3 DailyRate * A ^B C Department	▼ 1 ² 3 DistanceFromHo	ome 🔽 123 Education	PROPERTIES	
	HR Analytics Data (2)	1	41 Yes	Travel Rarely	1102 Sales		1	Name	
		2	49 No.	Travel Frequently	279 Research & Development		8	HR Analytics Data	
		3	37 Yes	Travel Rarely	1373 Research & Development		2	All Properties	
		4	33 No.	Travel Frequently	1392 Research & Development		3		
		5	27 No	Travel Rarely	591 Research & Development		2	APPLIED STEPS	
		6	32 No	Travel_Frequently	1005 Research & Development		2	Source	
		7	59 No.	Travel_Rarely	1324 Research & Development		3	Promoted Headers	
		8	30 No	Travel_Rarely	1358 Research & Development		24	× Changed Type	
		9	38 No	Travel_Frequently	216 Research & Development		23		
		10	36 No	Travel_Rarely	1299 Research & Development		27		
		11.	35 No	Travel_Rarely	809 Research & Development		16		
		12	29 No	Travel_Rarely	153 Research & Development		15		
		13	31 No	Travel_Rarely	670 Research & Development		26		
		14	34 No	Travel_Rarely	1346 Research & Development		19		
		15	28 Yes	Travel_Rarely	103 Research & Development		24		
		16	29 No	Travel_Rarely	1389 Research & Development		21		
		17	32 No	Travel_Rarely	334 Research & Development		5		
		18	22 No	Non-Travel	1123 Research & Development		16		
		19	53 No	Travel_Rarely	1219 Sales		2		
		20.	38 No	Travel_Rarely	371 Research & Development		2		
		21	24 No	Non-Travel	673 Research & Development		11		
		22	36 Yes	Travel_Rarely	1218 Sales		9		
		23	34 No	Travel_Rarely	419 Research & Development		7		
		24	21 No	Travel_Rarely	391 Research & Development		15		
		25	34 Yes	Travel_Rarely	699 Research & Development		6		
		26	53 No	Travel_Rarely	1282 Research & Development		5		
		37	22 Yes	Travel Fragmently	112E Decearch & Development				

• You will be back on canvas area with table loaded in **Data Pane** (in right side). We will start with **KPI Chart**

• A Key Performance Indicator (KPI) is a visual that communicates the amount progress made toward a measurable goal

File Mone Image: State workblock das help: File: Correct of the correct data sources and the report canvas. Build visuals with your data Select or drag fields from the Data pare onto the report canvas. Build visuals with your data Select or drag fields from the Data pare onto the report canvas. Water of the correct onto the report canvas. Water	13	🔗 🔗 Exp7 - formating charts + Last saved: Today at 10:54 AM 👻	P Search						Si	in in 🕘 —	ο×
A Curry Out Out Out	File	Home Insert Modeling View Optimize Help	97 11 - 20 12 - 20 - 20 - 20 - 20 - 20			1. 244					l₿ Share∨
Image: Search Nisualizations >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	Patt	X Cur Corport of Format painter of consult painter data- workbook data hub- Server data- workbook data hub- Server data hub- Server da	Transform Refresh data ~ Cueries insert	New Quick measure measure Calculations	Sensitivity Sensitivity	Publish Share	Copilot Copilot				
Image: Search Search Image: Search	bal					Filte	rs		Visualizations	» Data	>
Build visuals with your data Select or drag fields from the Data pane onto the report canvas. Add data fields here Image: Comparison of the compariso	Ħ					,O Se	arch		Build visual	Q Search	
Add data fields here	鲳					Filters on t	his page.			HR Data >	dsx - HR data
Build visuals with your data C Age Select or drag fields from the Data pane onto the report canvas. Add data fields here Add data fields here C Age Add data fields here C Age Visual C Age Add data fields here C Age Visual C Age Add data fields here C Age Visual C Age Add data fields here C Case Visual C Case Add data fields here C Case Visual C Case Add data fields here C Case C Case C Case Add data fields here C Case C Case C Case Add data fields here C Case C Case C Case Add data fields here C Case C Case C Case Add data fields here C Case C Case C Case C Case <td>ß</td> <td></td> <td></td> <td></td> <td></td> <td>Ade</td> <td>d data fields h</td> <td>ere</td> <td></td> <td></td> <td></td>	ß					Ade	d data fields h	ere			
Add data fields here P		Build visuals wit	th your data			Filters on a	ll pages				e trition trition Count
Values Values						Adı	d data fields h	ere			siness Travel _age band
Yalues □ Departm Add data fields here □ ∑ Detacrist Drill through Cross-report • □ Educatio Cross-report • □ Educatio Add drill-through fields here □ ∑ Employ Add drill-through fields here □ ∑ Employ		e	3							Σ Ω Σ Ω Σ α	_attrition ia _current Em ilv Rate
Add data fetdys here □ ∑ Detatorou Drill through □ Educatio Cross-report • □ Educatio Educatio Cross-report • □ Educatio Cross-report • □ Educatio Educatio Cross-report • □ Educatio Educatio Cross-report • □ Educatio									Values	□ De	partment
Dill through □ Educati Cross-report ● Educati Cross-report ● Educati Cross-report ● Educati emp on Keep all filters ● Employe Add drill-through fields her ■ ∑ Employe C Gender									Add data fields here	□ Σ Dis	itance From
Keep all filters									Drill through Cross-report	C Ed	ucation Field
Add drill-through fields file									Keep all filters	Ξ Em	ipho iployee Co
∑ Environ									Add drill-through fields he	🗆 Σ Em	ployee Nu.
Conder										Ω Σ Em	vironment
D Σ Houty f										Σ Ho	urly Rate

File	Home In	nsert Modeling	View Optimize Help Fo	ormat Data / I	Drill							L Share ∨
Paste	X Cut Copy Format painter	Get Excel One data v workbook data	SQL Enter Dataverse Recent hubv Server data	Transform Refresh data v	New Text More visuals v	New Quick measure	Sensitivity	Publish	Copiliot			
Iol	Cipboerd		Lista	Quenes	Insert	Lacuators	Sensitivity	V Filter	rs	⊗ ≫	Visualizations >>	Data X
Ħ			FORMATTING TH	IE CHART	rs			,O Sea	rch		Build visual	Q. Search
锢								Filters on th	is visual			V 🚯 HR Data xisx - HR data
۵	1	470						Sum of En is (All)	nployee Cou			□ Σ -2 □ Σ 0 □ Σ Age
	L_Sum of E	mplovee Count						Add	data fields her	e		 Attrition ∑ Attrition Count
								Filters on th	iis page		E III III R Py E 📲 🖓 🛱 😨	Business Travel CF_age band
								Add	data fields her	e		CF_attrition ia □ ∑ CF_current Em
								Filters on all	l pages		Fields	□ ∑ Daily Rate □ Department
								Add	data fields her	e	Sum of Employee Cou V X	□ ∑ Distance From □ Education
								2			Cross-report (00)	Education Field
											Keep all filters	Employee Co
											Add drill-through fields here	Σ Employee Nu
												□ ∑ Environment
												S Hourly Rate
												∑ Job Involveme
		Page 1 +										$\square \Sigma$ Job Level

Now format this particular visual with title, size, colour.

- 1. Click on "Format your visual" in Visualization Pane
- 2. Go to General tab
 - a. click on Title \Box type "Overall Employees" in Text box, Horizontal alignment and colour of your choice
 - b. expand effects \Box **OFF** the background of KPI chart
 - c. Effects \Box **ON** visual border \Box change the color and 20 rounded corners
- 3. Now, go to Visual tab \Box **OFF** the category label
- 4. In visual tab, callout value \Box change the font color

법 🦻 🥙 Exp7 - formating charts * Last saved: Today at 1054 AM * 🥄 🖉 Search		Sign	in 😸 — 🖸 .
File Home Insert Modeling View Optimize Help Format Data/Drill	Publish Copilot		12 Share
	♥ Filters ● ≫ Ø Search	Visualizations >> Format visual	Data Q. Search V BHR Data xlsx - HR da
Overall Employees 1470	Sum of Employee Cou is (All) Add data fields here	Search Visual General ···· Properties	□ Σ -2 □ Σ 0 □ Σ Age □ Attrition □ Σ Attrition Cour
	Filters on this page	> Title (Cono)	Business Trav CF_age band CF_attrition la CF_attrition la S* CF_ourrent Fr
	Filters on all pages	Color	∑ Daily Rate Department ∑ Distance From Enteration
	ξ	Transparency	Education Fiel
		Visual border Shadow	C Employee Nu. Σ Environment. Gender Σ Hourly Rate
□ □ · · · Page I +		T Reset to default	Σ Job Involvement Σ Job Level

Kindly Note: If you want same format for all visuals, complete the formatting with one of the visual, click on format painter and click on the visual for which you want the formatting. Little bit formatting will be required as properties for each visual will be different Select **Pie Chart.**



Now apply same steps for creating **STACKED COLUMN CHART.** A column chart, commonly referred to as a vertical bar graph, is a visual tool utilized to display and compare numerical data across different categories. Each column within the chart corresponds to a specific category, with the height of the column proportionally representing the associated value.

File	Home Insert Modeling View Opt	timize Help Format Data / D	rill						🕼 Share 🗸
Paste	X Cut Copy Get Ercel Get Ercel Get Action Get Ac	ter Dataverse Recent ta sources v Guereise	New Text More visual box visuals -	New Quick Si measure measure Calculations S	ensitivity ensitivity	Publish	Copilot		
bi I	(7			V Filter	rs	/isualizations >>	Data X
m	FORM	ATTING THE CHART	S			O Sea	rch	tuild visual	Q. Search
	Overall Employees					10.000			V BUHR Data xisx - HR data
唱	1/70					Filters on th	is visual		ΞΣ-2
ß		7 2				CF_age ba is (All)	nd		□ Σ 0 □ Σ Ace
	12 (50%)	No. of Employee by Age Group er. @Temple Male				Gender			Attrition
	92 (86294) Department					(2.040			
	RRD Sales	337 309				Sum of Em	iployee Cou		CF_age band
	133 (54.129)	217. 194 193 193 25 - 34 35 - 44 45 - 54 Under 25 Over 55 CF age band				Add	data fields here		CF_attrition Ia ∑ CF_current Em ∑ Daily Rate
						Filters on th	is page	X-axis	Department
						hdd	data fields base	CF_age band \checkmark ×	□ ∑ Distance From
						000	data neida neie	Y-axis	Education Education
						Filters on all	pages	Sum of Employee Cou \lor ×	emp no
								Legend	Employee Co
						Add	data tields here	Gender 🗸 🗙	□ ∑ Employee Nu
								Small multiples	Gender
								Add data fields here	Σ Hourly Rate
								Acitips	Σ Job Involveme
	Page 1 +								□ ∑ Job Level

Optional: As you can see, age is not sorted correctly, so we have to create additional column.

Once **sort age** column is created change the datatype of column if its not in whole number. Click on **"Close & Apply"**

File Home Transfe	rm Add Column Vie	w Tools	Help													17 17	~
Column From Custom Invoke Cu Examples * Column Function Gene	stom n To Duplicate Column	TARCI 1216 Format 1216 Format 155 P.	verge Columns xtract • arse • Sta n Text	ζσ Σ nistics Stu	10 ² A trigon	ometry * ing * ation *		Dote Time Duration From Date & Time	Vision A Al Insig	Learning	hine 9						
Queries [1]	< × v h															Query Settings	×
UP Data year UP data		Add	Conditiona	I Col	lumn								~			A PROPERTIES	
La rin odia Aba - rin odia	- P3 That's At Com										-	Name					
	1	1 Add a conditional column that is com				omputed from the other columns or values.					-	^	HR Data xisx - HR data				
	2	2 New column name											All Properties				
	2	sort age	sort age								and the production						
	-	Post of the local division of the								APPLIED STEPS							
	6	-	Column Name		Operator	Val	Value		Outp	Output	Output 🕞					Source	4
	7	If	CF_age band		equals -	A80		Under 25	Then	ABC +	1					Changed Type	
	8	1.	i andre bener hannen.	_		1.000		1			10		786			Promoted Headers	12
	9	Else if	CF_age band	•	equals	12	•	25 - 34	Then	123 *	2					Changed Type1	100
	10	10000	CE and hand		amole	AB	()	25 44	-	ABC						Added Conditional Column	- 36
	11	Else If	er_age bana		Equois	12	3	00.144	then	123	1.2					X Addad Conditional Column1	1251
	12	Else If	CF_age band	+	equals	ABI 12	ç.,	45 - 54	Then	ABC #	4					e mars commune commu	
	13		20														
	14	Add Clause															
	15	Hou c												12	-		
	16	with the															
	17	Else ()															
	18	123 *	5														
	19																
	20	-										ок	Cancel				
	21																
	22				-		_	2				0					
	23	12			0			2		-		0					
	25	0			2			1		2		1					
	- 26	7			13			4		8		0					
	27	10			2			6		7		1			~		
	28 🔨				121									>			

Now, on canvas, in data pane \Box select CP_age_band \Box click on sort by column \Box select newly created column sort age and now click on visual and follow the steps, Finally, output will be as follows:

🖫 🤌 🖓 Exp7 - formating charts • Last saved: Today at 10:54 AM 🔻	₽ Search		Sign i	∩⊜) – ∂ X
File Home Insert Modeling View Optimize Help F	Format Data / Drill			🖻 Share 🗸
Copy Format painter Ciptored Cipt	Transform Referent data - Queries International Constructions of the state - Cacitation Sector Sensitivity	Publish Copilot		
			Visualizations >>>	Data >>>
	HECHARIS	Ø Search	Build visual	Q. Search
Dverall Employees				V 🚯 HR Data xlsx - HR data
1470		Filters on this visual	EMEMEM	Σ-2
		CF_age band is (All)		Σ 0 Σ Age
12 (5.05%) Gender @ female @Main	Age Group Show as a table	Gender		Attrition
92 (38.52%) Department	× Remove	is (All)		□ ∑ Attrition Count
F800	309 337 C Spotlight	Sum of Employee Cou is (All)		Business Travel CF age band
+HR	son calls > C_age band	age band. Sort descending		CF_attrition la
133 (56.1258) Under 25 Over 55 45 - 54	25÷44 25÷34 ✓ ↓¥ Sort descending	re .		CF_current Em
	↓ Sort ascending	Filters on this nace	X-axis	Department
			CF_age band VX	\Box Σ Distance From
		Add data fields here	Y-axis	Education
		Filters on all names	Sum of Employee Cou V X	emp no
		incis of an poges	Legend	🛛 Σ Employee Co
		Add data fields here	Gender VX	□ ∑ Employee Nu
			Small multiples	Gender
			Add data fields here	□ ∑ Hourly Rate
			Tooltips	Dob Involveme
rage 1 Page 1				≥ Job Level

Cr.age tand We formed that V Sommarization pre text 9 3 3 3 B Data servery Location budge 6 9 3 A main B Data servery Location	nmantze v priteri v Soft Bruge Settors	Naw Naw Olger Column abys Column		
	RTS	♥ Filters ● > _C Search	Visualizations > Radid visual Image: Control of the second seco	Data Q. Search C. Barston - H
1470		CF, spe hand is (All)		Ξ Σ ->
Ungartment wise Attriction 12 close 10 10 10 10 10 10 10 10 10 10		Gender is (All)		Attrition Attrition Sectors T Business T CF_age tee
202000 Departments PED Plane		Sum at Employee Cos is (All)	PYE-4082	
13 15(202) 10 10 10 10 10 10 10 10 10 10		And data fields here		CF_atter
	÷	Filters on this page	X-ans	Departm
		Add data fields here	CF_age band ~ ×	E Σ Distance
		Filters on all pages .	Sum of Employee Cou. V X	enp oo
		Add data helds here	Legend Gender VX	 Σ Employe Σ Employe Σ Employe
			Small multiples	E Gender
			And data fields here	Σ Houriy
			Transaction	Σ iob Inv

Finally, output will be as follows

÷

Now apply same steps for creating **MATRIX**.

The matrix visual is a type of table visual that supports a stepped layout. A table supports two dimensions, but a matrix makes it easier to display data meaningfully across multiple dimensions. Often, report designers include matrixes in reports and dashboards to allow users to select one or more element (rows, columns, cells) in the matrix to cross-highlight other visuals on a report page.

Format the row header & column header Dtext color & background color Also, format the **Row grand total & column grand total**

(금) 🏹 🔨 Exp7 - tormating charts + Last saved: Ioday at 1222 PM 👻	- Search		અવ્	•••• 🖯 — 🔿 🗸
File Home Insert Modeling View Optimize I Copy Part of Format pushtor Cleberd Case Anthere Solution Case Solution Case Anthere Solution Case Anthere Solution Case Anthere	Help Pecent Transform Refresh New Text More New Sources Usamis Courses Inter C	Audotos		⊮ Share ~
FORMATTIN	IG THE CHARTS	✓ Filters ● ,○ Search Filters on this page	Visualizations » Build visual	Data ≫ Q. Search ✓⊞ HR Data xlox - HR data □ Σ -2
Department wise Attrition 125,555 04,0000 04,000 04,000 04,000 04,000 04,000 04,000 0	Job Setisfaction Ra 200 317 301 417 30-44 30-34 30-44 50-34 30-44 50-34	Ing Ing 10 101 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 100 10 100 10 100 10 100 10 100 10 100 10 100 10 100 10 100 10 100		
			Values Add data fields here Drill through Cross-report Keep all filters Add drill-through fields here	Department ∑ Distance From H Education Education Field emp no ∑ Employee Count ∑ Employee Count ∑ Employee Nam ∑ Environment Sat Gender ∑ Hourly Rate ∑ Job Involvement
Page 1 +				Π Σ Job Level

Now apply same steps for creating Stacked Bar Chart.

Copy Get Excel OneLake data v workbook data hub v : Cipboard	SQL Enter Dataverse Recent Server data sources* Data Queries	Image: Shift New Text More New Quick Small New Quick Small New	ty Share Copilot		
Overall Employees	DRMATTING THE CHAR	ITS	Filters ©	Visualizations » Build visual	Data Q. Search V BHR Data xisx - HR da
Department wise Attrition	No. of Employee by Age Group	Job Satisfaction Rating	Education is (All)		□ Σ -2 □ Σ 0 □ Σ Age
12 (5.00%) (38.02%) (Gender © female Male	Houldhcare Representative 26 19 43 44 (131) Numan Resources 10 16 11 10 52 Jaboratory Technican 56 46 75 60 256 Manager 56 46 75 60 256	Sum of Attrition Count is (All) Add data fields here		Attrition ∑ Attrition Cour Business Traw
6HR 133 (54.124)	122 106 207 Over 55 45 55 44 25 34 Under 25 C* see hand C* see hand C* C* C* C* C*	Manufacturing Orrector 26 32 49 30 145 Research Director 15 16 27 22 60 Total 289 280 442 459 1470	Filters on this page		CF_attrition I CF_attrition I Σ CF_current Ei Σ Daily Rate
Education Field wise Attrition Bachelor's Degree g Maxter's Degree 54			Add data fields here Filters on all pages	Y-axis Education V X	Department Department Σ Distance Fro Education
Associates Depree 44 High School 31 Doctoral Depree 5			Add data fields here	X-axis Sum of Attrition Count V X	Education Fi emp no Σ Employee Co
				Add data fields here Small multiples	Σ Employee N Σ Environmen Gender
🖵 🚺 🤄 Page 1 🕇				Add data fields here Tooltips	 Σ Hourly Rate Σ Job Involver Σ Job Level

Now apply same steps for creating **Donut**.

A doughnut chart is similar to a pie chart in that it shows the relationship of parts to a whole. The only difference is that the center is blank and allows space for a label or icon.

Doughnut charts work best when you use them to compare a particular section to the whole, rather than comparing individual sections with each other.



Slicers: A slicer is a standalone chart that can be used to filter the other visuals on the page. Slicers come in many different formats (category, range, date, etc.) and can be formatted to allow selection of only one, many, or all of the available values.

Slicers are a great choice to:

- Display commonly used or important filters on the report canvas for easier access.
- Make it easier to see the current filtered state without having to open a dropdown list.
- Filter by columns that are unneeded and hidden in the data tables.
- Create more focused reports by putting slicers next to important visuals.



PROGRAM 8: Dashboards - Filters in Power BI, Formatting dashboards

Filters remove all but the data you want to focus on.

<u>Filter Pane</u>: You can apply filters in the Filters pane, or make selections in slicers directly on the report page itself. The Filters pane shows the fields in individual visuals and any other filters the report designer adds.

There are four standard types of filters that you create in the Filters pane.

- **Visual filter** applies to a single visual on a report page. You see visual- level filters when you select a visual on the report canvas. Even if you can't edit a report, you can select a visual and filter it.
- **Page filter** applies to all the visuals on the report page.
- Report filter applies to all pages in the report.
- **Drill through filter** With drill through in the Power BI service and Power BI Desktop, you create a *destination* report page that focuses on a specific entity, such as a supplier. From the other report pages, users can right-click a data point for that entity and drill through to the focused



٠

We will be using HR dataset (same used for Exp 7).

Extending same dashboard with using filters & let's format the final

dashboard. Let's apply filter for department (Particular visual).

- 1. Drag Department from Data Pane to Filters □ Filters on this page textbox. □ Basic Filtering
- 2. Now, you can see, HR dept. is selected and now in below picture, you can see that only HR data is visible, whereas, R&D and Sales data will not be shown.



Now, HR and R&D departments are selected.



 Now, lets try for <u>advanced filter</u> Let's find out results for **salary greater than equal to 10000**. Drag and drop **Monthly Income** in filter Filter type: advanced filtering Show items when the value: is greater than or equal to Value: 10000

교 🗇 🔨 Exp8 - filters & formatting dashboards + Last saved: loday at 9:18 AM 🔻	>> Search	sign in 🕘 – L 💈
File Home Insert Modeling View Optimize Help		🕼 Share
A Cot Cot </th <th>Image: Control of the second second</th> <th></th>	Image: Control of the second	
	oards	Visualizations » Data Build visual
281 Seict all Accords Dayse Rockel Ungere Doctord De	Hyper Hyph School Mader's Degree Job Satisfaction Pating Madhura Representative 2 st 1 1 9 221 Manderum Bookow 2 1 2 1 2 2 1 3 192 Manderum Bookow 0 1 2 1 2 1 2 1 3 192 Manderum Bookow 0 1 2 1 2 1 2 1 3 192 Manderum Bookow 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	E III E III E III → Johole Marial Status III III III III III → Lobole Marial Status III III III III IIII → Lobole III IIII IIII IIII → Lobole IIII IIII IIII IIIII IIII IIIII IIIIIIII
11 11 12 13 15 15 15 15 15 15 15 15 15 15	County 10 10 27 22 40 State State 4 8 10 100000 Add State 85 281 100000 And O Or rition Count by Gender Apply (filter	Image: Second secon
Market X Bayers 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Gender © Male © Frenke	Drill through ∑ Standard Hout Cross-report ⊙ciii Keep all filters ⊙a ∑ Total Working, ∑ Total Working,
	Add data fields here	Add dnil-through fields here

- 4. Now, try for Top N filtering. Try to display top 4 Job roles having highest job satisfaction.
 - Select "Job satisfaction rating" visual
 In Filters Pane, Filters on this visual

 Job Role
 Filter type: Top N
 Show item: Top : 4

By value: Sum of Job Satisfaction

2 / Cope - inters of ormatung desinolatus - ta	ist saved, roday at 1,25 million		/	aren.		2001-	e e
ile <u>Home</u> Insert Modeling Vie	w Optimize Help F	ormat Data / I	Drill				🕼 Share
X Cut Copy Get Excel Cipboard	SQL Enter Dataverse Recent Server data sources ~ Data	Transform Refresh data ~ Quenes	New visual box insert	New Quick measure measure Calculations	Publish Copilot		
5				_	🖌 Filters 💿 🕅	Visualizations >>>	Data
Filt	ers & Formatti	ng Dashbo	oards	5	D Search	Build visual	Q. Search
Duerall Employees Average Are							L ∑ Job Involvem
1470 37	Select all	HR	R&D	Sales	filters on this visual		∑ Job Level
			Des	7 2	Job Role ^ 🔒		Job Role
Department wise Attrition	No. of Employee by A	Age Group	Job Sati	Islaction Rating	fop 4 by sum of Job 5 Q %		Marital Status
12 (5.06%) 92		<u> </u>	Laboratory Technician	56 49 75 80 259	Top N Y		Σ Monthly Inco
(38.52%) Department #R&D		337	Menulacturing Director	16 32 49 38 145	Show items		□ ∑ Monthly Rate
Sales			Sales Executive	69 54 91 112 326	Top V 4		🗌 🔎 Num Compa
•HR	113 196	217	Total 20	15 187 305 325 1022	By value		Over Time
(56.12%)	Over 55 45 - 54 35 - 44 CF_aps band	25 - 34 Under 25			Sum of Job Satisfaction V X		Over18
Education Print, do Autor	Come at the Way County of			Comment and another	Apply filter		Σ Percent Salar
Education Field Wise Attrition	Sum of Attrition Count by Ge	nder leno no	Monthly Income	Business Travel		Rows	☐ ∑ Performance
Bachelor's 99	(36.71%)	STAFF-1334	17861	Travel_Rarely Travel_	Job Satisfaction is (All)	Job Role 🔍 X	□ ∑ reiationship
Master's De 58	Ger	nder STAFF-1422 STAFF-1457	17328			Columns	Σ standard Ho
Associates 44		emale STAFF-148	17328	18	sum of Employee Cou is (All)	lak fatisfastian	Σ Stock Option
a High School 31		STAFF-307	10609	Non-T		JUD Satisfaction	📋 ∑ Total Working
Doctoral D 5	(63.29%)	STAFF-83	1/861	x 🗰	Add data fields here	Values	🗌 Σ Training Time
			2			Sum of Employee Cou \curlyvee X	S Work Life Ball
					Filters on this page	Drill through	Σ Years At Com
					The second second	Cross senert	Σ Years In Curri Σ
					Add data fields here	Koon all filters	U ∑ Years Since Li
Pane 1						Reep an inters	L Z Years With Ci

PROGRAM 9: BUILDING DASH BOARD

Analysis of revenue in sales dataset:

i) Create a choropleth map (fill the map) to spot the special trends to show the state which has the highest revenue.

ii) Create a line chart to show the revenue based on the month of the year.iii) Create a bin of size 10 for the age measure to create a new dimension to show the revenue.

iv) Create a donut chart view to show the percentage of revenue per region by creating zero access in the calculated field.

v) Create a butterfly chart by reversing the bar chart to compare female & male revenue based on product category.

vi) Create a calculated field to show the average revenue per state & display profitable & non-profitable state.

vii) Build a dashboard.

Solution:

Step1: Upload the revenue dataset

Step2: In the power query editor as part of transformation remove the unnecessary columns (Remove the last null column)

Question 1: Create a choropleth map (fill the map) to spot the special trends to show the state which has the highest revenue.

Step1: Select the "Map" visualization from the Visualizations pane.(filled map) Step2: Set **Up the Map**:

- Drag the state field to the "Location" field well.
- Drag the revenue field to the "Size" or "Values" field well.

Step3: **Customize**: In the "Format" pane, adjust settings such as color, size, and tooltips to enhance readability. You can use color gradients to indicate different revenue levels, helping to spot trends.



Question 2: Create a line chart to show the revenue based on the month of the year.

Step1:Add a Line Chart: Select the "Line chart" visualization from the Visualizations pane.

Step2: Configure the Chart:

- Drag the month field to the "Axis" field well.
- Drag the revenue field to the "Values" field well.

Step3: Format: In the "Format" pane, you can customize the line color, axis titles, and other aspects to clearly present the revenue trend throughout the year



Question 3: Create a bin of size 10 for the age measure to create a new dimension to show the revenue.

Step1: Create Bins for age

- Go to the "Data" view and select the age field.
- Right-click on the age field and choose "New group".
- In the "Group" window, select "Bin" and set the bin size to 10.

Step2: Add to Visualization:

- Create a new visualization (e.g., bar chart or column chart). Here we used Stacked column chart.
- Drag the new age bins field to the "X Axis" and the revenue field to the "Y axis".



Question 4: Create a donut chart view to show the percentage of revenue per region by creating zero access in the calculated field.

Step1: Add a Donut Chart: Select the "Donut chart" visualization from the Visualizations pane.

Step2:Set Up the Chart:

- Drag the region field to the "Legend" field well.
- Drag the revenue field to the "Values" field well.



Step3: Create Zero Access:

- Go to the "Format" pane, select "Detail labels", and set the "Label position" to "Inside" to create a zero access effect.
- Adjust the "Detail" and "Percentage" settings as needed.



Note: The "zero access effect" is a visual design technique often used in data visualizations to emphasize or clearly show zero values or the absence of certain data. This effect is particularly useful in charts where you want to highlight how values are distributed relative to zero, or where zero plays a significant role in the interpretation of the data.

Donut Charts:

In a donut chart, the zero access effect can be used to enhance readability by placing labels or markers at the center of the chart or using a specific design to show where there is no data.

For example, if one segment of a donut chart represents zero revenue, you might design the chart so that this segment is clearly visible or highlighted to indicate no revenue.

Question 5: Create a butterfly chart by reversing the bar chart to compare female & male revenue based on product category.

Step1: Create a New Measure Total
Revenue = sum(Sales Table[Revenue])



Method-1: By using stacked column chart

Method 2: Step 1:

Add Two Bar Charts:

 $_{\odot}$ Create two separate bar charts from the "Visualizations" pane.

Step 2:

Configure the First Bar Chart (e.g., Female

Revenue): Drag Product Category to the "Axis" field.

Drag Total Revenue to the "Values" field.

Apply a Filter:

• In the "Filters" pane, add a filter to show only Female revenue. You can drag Gender to the "Filters" pane and set the filter to include only Female.

Step 3:

Configure the Second Bar Chart (e.g., Male Revenue):

Drag Product Category to the "Axis"

field. **Drag Total Revenue** to the

"Values" field. Apply a Filter:

• In the "Filters" pane, add a filter to show only Male revenue. You can drag Gender to the "Filters" pane and set the filter to include only Male.

Step 4:

Reversing the Bars:

• To create the butterfly effect, you need to reverse one of the bar charts. This involves adjusting the direction of the bars so that they face opposite directions from the center. o **Reverse the Bars**:

• For one of the charts (e.g., Male revenue), you will need to use a calculated column or measure to make the bars extend in the opposite direction. In Power BI, this can be achieved by adjusting the data in the chart's settings or using custom visualizations if necessary.
□ Add Titles and Labels:

• Add clear titles and labels to each chart to indicate what data they represent (e.g., "Female Revenue" and "Male Revenue").

• Customize the chart's appearance to enhance readability.



Question 6: Create a calculated field to show the average revenue per state & display profitable & non-profitable state.

Step1: Create a New Measure

- Go to the Modeling tab and select "New Measure".
- Create the Average Revenue Measure:
- Enter the following DAX formula to calculate the average revenue per state:

```
Average

Revenue Per

State =

AVERAGEX(

VALUES(SalesTable[State]),

CALCULATE(SUM(SalesTable[Revenue]))

)
```

Step2: Create a Calculated Column to Categorize States

Next, create a calculated column to classify states as profitable or nonprofitable based on the average revenue.

- 1. Go to the Modeling tab and select "New Column".
- 2. Create the Profitability Column:

Enter the following DAX formula to create a column that categorizes states as profitable or non-profitable:

```
ProfitabilityStatus =
IF(SalesTable[AverageRevenuePerState] > 1000,
"Profitable",
"Non-
Profitable"
)
```

- Step 3: Display the Results
- **1.** Add a Table and select state, Average Revenue State and ProfitablitiyStatus.

State	AverageRevenuePerState	ProfitabilityStatus		
	642.00	Non-Profitable		
Alabama	59.00	Non-Profitable		
Alabama	1,155.00	Profitable		
Arizona	71.00	Non-Profitable		
Arizona	1,949.00	Profitable		
Bayern	1,63,271.00	Non-Profitable		
Bayern	3,74,137.00	Profitable		
Brandenburg	20,497.00	Non-Profitable		
Brandenburg	67,941.00	Profitable		
California	24,92,858.00	Non-Profitable		
California	35,84,058.00	Profitable		
Charente-Maritime	16,993.00	Non-Profitable		
Charente-Maritime	20,874.00	Profitable		
England	14,97,497.00	Non-Profitable		
England	27,78,723.00	Profitable		
Essonne	1,06,052.00	Non-Profitable		
Essonne	2,31,515.00	Profitable		
Florida	1,653.00	Non-Profitable		
Florida	1,908.00	Profitable		
Garonne (Haute)	21,192.00	Non-Profitable		
Garonne (Haute)	48,495.00	Profitable		
Total	4,85,765.61			

Dept. of CS & E (Data Science)

Extra: To get the Total value or single value

In Power BI, a **Card** visualization is used to display a single, important piece of data, such as a key metric or a number. It is commonly used to show aggregate values like:

- Total Sales
- Average Profit
- Total Units Sold
- Number of Customers

The Card provides a clean and simple way to highlight critical metrics that are important for decision-making. It's ideal for dashboard views where quick insights are needed.

To show the total revenue

Drag the Revenue field into the field well



To Add filter or Slicer

Filter Data: Slicers filter data across multiple charts and visuals in a report. For example, selecting a specific region or product category in a slicer can update all connected visuals to reflect data only for that selection.

Steps : 1. Select slicer from the Visual pane

2. Drag the Country field into the field well



Question 7:Build a dashboard.



PROGRAM 10: Analysis of GDP dataset

i) Visualize the countries data given in the dataset with respect to latitude and

longitude along with country name using symbol maps

Step1: Bring Latitude

Step2: Bring Country in Color Marks Pane

Bring any Year Measured Value to Label after that You be able to see screen as in below



ii) Create a bar graph to compare GDP of Belgium between 2006 – 2026.

Step1:

Get Measured Names to Filter Pane then select as in years

mentioned 2006 – 2026.Get Country to Filter and Select

Belgium

Step2:

Drag Measured Name and Country into Column

Step3:

Drag Measured Value to Row You see outputs

Dept. of CS & E (Data Science)



iii) Using pie chart, visualize the GDP of India, Nepal, Romania, South Asia, Singapore by the year 2010.

Step1:

Get Country to Filter pane and select India, Nepal, Romania, South Asia, SingaporeGet Measure Name to Filter and select 2010 **Step2:** Important Step

Select option of chart as Pie(instead of automatic in Marks Pane) and Drag Country in Color frame

Finaly Sum or avg or anything of your choice to angle Frame (For sum its SUM[(2010)], For average its AVG[(2010)] from measure value The output result is as in below



Dept. of CS & E (Data Science)

iv) Visualize the countries Bhutan & Costa Rica competing in terms of GDP.

Step1: Filter Country and Measure name Iike Bhutan, Costarics and 2016,2017,2018 as year(Measure name)

Step2:Add Country and Measure Names in column, Measure Values in RowStep3:For better view add Measure Names to Color frame in Marks pane

ata Analytics	Pages			III Column	s:	Cour	itry		Measure N		
) GDP (IMF_Data)				⊞ Rows		Mean	sure Valu				
GDP by Country per Year	Filters										Measure Names
arch e 🗸 🖽 •	Count	01		Bhuta	n&Co	staric	a (yea	ar)/sun			2016
olders	Measu	ry are Name				water with the	Count	try	199710		2017
2002	Massassia	abull Southers				Bhutan		Costi	s Rica		2018
2003	Martin			7.0	~						Highlight Country
2019	Marks			iele:	1						Bigblight Country
2020	2 Line	1. 	1.00	0.5		1					
Country	00	Ø	T	6.0		1					
neasure names	Color	Size	Label	5.5							
2004	di.	9	~	1000		1					
2006	Detail	Tooltip	Path	5.0							
2007	** 💽	leasure N	lames	4.5							
2008								~	Ň		
2009	-	and the second		9 ^{4,0}				-	1		
2010	Measure	e values	_	IRA 3.5					1		
2012	SUM(2016)	$ \rightarrow $	100/21					1		
2013	SUM	2017)	$ \rightarrow $	3.0							
2014	Wheelenbook S	RUSIANUSZ		2.5							
2015				20							
2016				2.0							
2017				15							
Latitude (generated)				1.0							
Longitude (generated)											
Measure Values				0.5							
				0.0							
					2016	2017	2018	2016 -20	17 2018		

iv) Create a scatter plot or circle views of GDP of Mexico, Algeria, Fiji, Estonia from 2004 to 2006.

Step1:Add Country in filter as per requirement

Add measure names in filter and select as per requirement

Step2: Add Measured Name in Column and an add any measured values of year 2004,2005,2006Finally opt for Circle as option

Data Analytics <	Pages	III Columns Measure Names						
GDP (IMF_Data)		IE Rows						
GOP by Country per Year	Filters	(SUM(2004)						
earch . A 🏹 🎟 •	Country	(SUM(2005)						
Folders = 2002	SUM(2004)	_SDM(2000)						
2003	Marks							
2020	O All		and the second se					
 Country Measure Names 	O SUM(2004)	Circle Graph	Country					
2004 2005 2006 2007 2008	O SUM(2005)	28	Michight Massure Namer					
	O Circle +	8 ax	Highlight Measure Names					
	Cotor Sins Label At Country At Country							
2009 2010		2X						
2011 2012 2013		×12 30						
2014	O SUM(2006)	2×						
 2016 2017 2018 Latitude (generated) Longitude (generated) 		×1 500						
		0K 2004 2005 2006 X						
Measure values								

Program 11. Analysis of HR Dataset:

i)Create KPI to show employee count, attrition count, attrition rate, attrition count, active employees, and average age.

ii) Create a Lollipop Chart to show the attrition rate based on gender category.

iii) Create a pie chart to show the attrition percentage based on Department Category- Drag department into colours and change automatic to pie. Entire view, Drag attrition count to angle. Label attrition count, change to percent, add total also, edit label.

- iv) Create a bar chart to display the number of employees by Age group,
- v) Create a highlight table to show the Job Satisfaction Rating for each job role based on employee count.
- vi) Create a horizontal bar chart to show the attrition count for each Education

field Education field wise attrition – drag education field to rows, sum attrition count

to col,

vii) Create multiple donut chart to show the Attrition Rate by Gender for

different Age group. Solution :

i) Create KPI to show employee count, attrition count, attrition rate, attrition count, active employees, and average age.

Step1: Create a New measure

Employee Count = COUNT('HR'[EmployeeNumber])

Step2: Choose KPI card in the visualization and drag and drop the Employee Count. Format your visuals of your style.



Step3: Create a New Measure

Attrition Count = COUNTROWS(FILTER('HR', 'HR'[Attrition]="Yes"))

Step4: Choose KPI card in the visualization and drag and drop the Attrition Count. Format your visuals of your style.

Attrition Count

Step5: Create a New Measure

Attrition Rate = DIVIDE([Attrition Count], [Employee Count], 0) * 100

Step6: Choose KPI card in the visualization and drag and drop the Attrition Rate. Format your visuals of your style.



Step7: To find active employees create a new

measure Active Employees = [Employee

Count] - [Attrition Count]

Step8: Choose KPI card in the visualization and drag and drop the Active Employees. Format your visuals of your style.



Step9: To calculate average age create a new

measure Average Age = AVERAGE(HR[Age])

Step10: Choose KPI card in the visualization and drag and drop the Average Age. Format your visuals of your style.



ii) Create a Lollipop Chart to show the attrition rate based on gender category.

Power BI does not have a native Lollipop Chart, so you will simulate it using





 ii) Create a pie chart to show the attrition percentage based on Department Category-

Drag department into colours and change automatic to pie. Entire view, Drag attrition count to angle. Label attrition count, change to percent, add total also, edit label.

• From the **Visualizations** pane on the right, select the **Pie Chart** visual icon. This will add a blank pie chart to your report canvas.

Set Up the Pie Chart:

- **Drag the Department Field** to the **Legend** area.
- **Drag the Attrition Count Measure** to the **Values** area.

Configure Data Labels and Formatting:

- Click on the **Pie Chart** to select it.
- Open the **Format Pane** (paint roller icon).

Change Data Label Settings:

- **Go to the Data Labels section** in the Format pane.
- Toggle **Data Labels** to **On**.

• In the **Data Label settings**, change **Label Style** to **Percent**. This will show the percentage of each department's attrition relative to the total.

- To show the **Total** alongside the percentages:
- Ensure that **Data Labels** are visible and set to **Show**.
- You can add a **Total Label** in the **Title** or **Tooltips** sections if needed for additional context.

Format the Pie Chart:

• Adjust **Colors**:

0

Go to the **Data Colors** section in the Format pane.

• You can customize colors for each department by clicking on the color next to the department name and choosing the color you prefer.

• Edit Labels:

• If you want to customize the text in the labels, you can use the **Data Label** formatting options to adjust font size, color, and display units.

Finalize Your Visualization:

• Ensure your pie chart looks as expected with percentages representing the attrition rate for each department.



iii) Create a bar chart to display the number ofemployees by Age group, Step1: right click Age and

choose new group and set bin size as 5.

Step2: Choose any bar chart drag and drop new age bin and employee count.



V) Create a highlight table to show the Job Satisfaction Rating for each job role based on employee count.

- Create a Matrix visual from the Visualizations pane.
- Drag the Job Role field to **Rows**.
- Drag the Job Satisfaction Rating field to **Columns**.
- Drag the Employee Count measure to Values.

obRole	1	2	3	4	Total
- Healthcare Representative	18	14	34	34	100
Human Resources	8	11	9	9	37
Laboratory Technician	31	34	47	47	159
Manager	13	13	15	20	61
Manufacturing Director	17	24	36	27	104
Research Director	10	10	18	14	52
Research Scientist	37	31	54	56	178
Sales Executive	51	42	63	85	241
Sales Representative	4	8	14	13	39
Total	189	187	290	305	971

VI) Create a horizontal bar chart to show the attrition count for each Education field Education field wise

Attrition - drag education field to rows, sum attrition count to col,

Step1: Horizontal bar chart It's called the **Clustered Bar Chart** or **Stacked Bar Chart** in the visualization pane

Choose stacked bar chart and set y axis is education filed and x axis is attrition count.



vii) Create multiple donut chart to show the Attrition Rate by Gender for different Age group. Choose donut chart and drag and drop legend as gender and value as attrition rate.

- 1. Select the **Donut Chart** from the Visualizations pane.
- 2. Create separate **Donut Charts** for different age groups.
- For each chart, filter the dataset based on age group (using the Age Group

field created earlier).

3. Drag the Gender field to **Legend**. Drag the Attrition Rate measure to **Values**

1. Repeat for each age group, ensuring each donut chart represents a different age group with gender breakdown.

Note:

• Use **Filters** to dynamically adjust visuals where necessary (e.g., filter by Age Group or Education Field).





PROGRAM 12: Analysis of Amazon Prime Dataset

i) Create a Donut chart to show the percentage of movie and tv shows

ii) Create a area chart to shows by release year and type

iii) Create a horizontal bar chart to show Top 10 genre

iv) Create a map to display total shows by country

v) Create a text sheet to show the description of any movie/movies.

vi) Build an interactive Dashboard.

Step1: Upload the Amazon CSV dataset.

Step2: Transform data and make the data ready for reporting.

As part of Transformation remove you can remove blank, null values and remove columns which is not required for analysis.

Step3: Select close and apply.

i).Create a Donut chart to show the percentage of movie and tv shows

- From the Visualizations pane, select the Donut chart.
- Drag the **'Type'** field to the **Legend** section.
- Drag any suitable column (e.g., **ID** or **Title**) to **Values**, then set the aggregation to **Count**.
- Use filters to filter only movie and TV show. This will show the percentage of **Movies** vs **TV Shows**.





ii) Create a area chart to shows by release year and type.

• Ensure your dataset contains a **Release Year** column and a **Type** column (Movies/TV Shows).

Steps to Create Area Chart:

- Choose **Area chart** from the Visualizations pane.
- Drag the 'Release Year' field to the Axis section.
- Drag the **'Type'** field to **Legend**.
- Drag the **Title** (or other identifying fields) to **Values(Y Axis)**, and set the aggregation to **Count**.
- You'll now see an area chart with Movies and TV Shows distributed over the years.

Note	: Use	filters	to	filter	only	movies	and	TV	show.
V	Filters	⊚ ≫							
2	Search								
	lori runs into	a grou I							
	once he sees	one. O 2							
	the blazing su	un 1							
	the threat of	the Em 1							
	will Mahmut	be able 1							
	Movie	7814							
	TV Show	1854							
	Require single s	election							

Back to report	COUNT OF TITLE BY PE	EASE, YEAR AND TYPE		
e Move OTV She	24			
1,200				
				1
1,000				
800				
				6
600				
400				
200			2000	
			 Movie 72 TV Show 0 	NS
			~~~	
1920	1940	1960	1950	5000 5050

iii. Create a horizontal bar chart to show Top 10 genre.

Note: Make sure you have a **Genre** column in your dataset.(Rename the column listed in to Genre)

# Steps to Create Horizontal Bar Chart:

- From the Visualizations pane, select **Bar chart** and adjust it to display horizontally.
- Drag the **Genre** column to the **Axis** section.
- Drag the **Title** (or other identifier) to **Values**, and set the aggregation to **Count**.
- In the **Filters** pane, filter the **Top N** to display the **Top 10** Genres by the count of content.
- From the Visualizations pane, select **Bar chart** and adjust it to display horizontally.



# iv. Create a map to display total shows by country.

Make sure you have a country column in your dataset.

Steps to Create a Map:

- Choose Filled **Map** from the Visualizations pane.
- Write a new measure to count show id

count showid = count(amazon_prime_titles[release_year])

- Drag the **Country** field to the **Location** section.
- Check the count showed measure in the data pane.
- This will show a world map representing the total number of shows produced in each country.



- iv) Create a text sheet to show the description of any movie/movies.
- Ensure your dataset has a **Description** column for each movie/TV show.
- Choose Table from the visuals and check the title and description columns.

You can add slicer to search by title to get the description.

title	description	Filte	📕 🖞	R	
#Lagira de #eldisco	Alejandro Sanz presents us on this occasion the audiovisual version of #ELCONCIERTO + #ELD of the success that the artist has achieved.	sle		2 IDA	cast
#Lucky Number	A young man's life is on a losing streak until he gets the old cell number of a major basketball access to A List parties. He's living the good life. Until his idol finds out.				count showid     country
#Unfit: The Psychology of Donald Trump	Is Donald Trump fit to hold the office of President of the United States? An eye-opening analy: Republican strategists, on the record for the record. Science. Truth. Duty to Warn.				description
#WASHED	2021 Daytime Emmy nominee. Desperate, pressed and #WASHED up, a group of aging millenr their dreams. Created by 2x regional Emmy Winner Jerod Couch.			a 22 ∃ R	director duration
(500) Days Of Summer	An offbeat romantic comedy about a woman who doesn't believe true love exists, and the you				Game
_DUPE_The Making of the Mob: Chicago	Chronicling iconic gangster Al Capone and the emergence of The Chicago Outfit, this historica most notorious mobster.			₹ ¢	□ ∑ release_year
1 Night in San Diego	BFFs Hannah and Brooklyn, played by Jenna Ushkowitz (Glee) and Laura Ashley Samuels (Mod old high school crush. When things don't go as planned, the night turns into debaucherous ch			v	show_id
1/2 New Year	At their annual 1/2 New Year Party, relationships are tested among a group of friends.		C.1		aue
10 Cent Pistol	A story about two lifelong criminals who maneuver through the shady underbelly of Los Angel		Columns		L type
10 Day Yoga for Weight Loss Challenge with Chelsey	If you're looking to lose weight, this yoga challenge from instructor Chelsey will help you achie intermediate and pros alike- to help you build lean muscle, lower cortisol levels, and burn awa		title	××	
10 Endrathukulla	A driving instructor is ordered by a gangster to take Shakeela, a young woman, to a landlord, I endanger her life unless he acts fast.		Description	~ ^	
10 Hours for Christmas	With divorced parents, Julia, Miguel and Bia got used to spending Christmas with an incomple they decide to surprise their parents with a Christmas dinner – and thus, bring them closer tog the holiday season, and they end up involving their father, in this Christmas mission.		Urill through Cross-report (	•0#)	
10 items or Less	An actor (Freeman) prepping for an upcoming role meets a quirky grocery clerk (Vega), and th		neep on inters		

.

- + 100% ET Hodste susilskie (dick to download

LoF1

#### AMAZON PRIME DASHBOARD 000 ⊞ Genre total gnere Drama 173 173 173 173 173 唱 Total 173 total gnere total_country CountOfDrama DAX title description Count of title by Genre Count of show_id by type description Haunted by her long suppres: seek treatment from mystical woman struggles to reconcile with a legacy of wartime brut. Sapan (Kigo) was a frequent y father was a trusted driver of her social status by the rich bo leaves town to make somethin successful model and Vicky fa brother Vijay (Akshay Kumar) The five individuals trying to r personally and professionally, them. They all get into a trout country Zana Afghanistan, France Drama Comedy 🗌 Australia Drama 🗌 Australia, Colombia,... Yeh Dillagi Internatio... Action type Movie Genre Australia, United St... Suspense Austria OTV Show Document... 🗌 Belgium Romance 🗌 Brazil Ye Re Ye Re Paisa 2 200 0 100 Count of title 🗌 Brazil, United States... Count of title by release_year and type count showid by country ... title type OMovie OTV Show show_id @s10 @s1040 @s1103 @s1209 @s1228 🕨 🗌 102 Not Out 40 36 Husbands 47 Meters Down: Uncaged 20 47 Meters Down: Uncaged (4K UHD) 7500 ASIA 9/11 Phone Calls from the Towers 0 1950 2000 🗌 A Family Man release_year oʻstizari □ ∆ Girl Like Her

#### v) Build an interactive Dashboard: